Stainless Steel Electrical Griddle

Table Top

EG1750 | EG3000 | EG3500-17 | EG5250-17



Free Standing

EG3000FS | EG3500FS-17 | EG5250FS-17



- Stainless steel body.
- Temperature range 50°C to 300°C.
- 1, 2 to 3 tubular heaters of 1750 watt each.
- 9mm / 12mm thick, flat polished steel griddle plate.
- Removable stainless steel grease drip pan with drain holes.

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Machine Weight (kg)	Hot Plate Size (mm)	Rated Voltage (V)	Rated Wattage (W)	Frequency (Hz)	Phase	Packing Volume (m^3)
EG1750	400 x 455 x 280	540 x 460 x 320	17	395 x 333 x 9	220~240	1750	50 / 60	1	0.05
EG3000	600 x 455 x 288	660 x 540 x 320	26	600 x 330 x 12	220~240	3000	50 / 60	1	0.11
EG3500-17	600 x 790 x 350	677 x 845 x 445	43	597 x 470 x 12	220~240	3500	50 / 60	1	0.26
EG5250-17	900 x 790 x 350	955 x 845 x 445	62	897 x 470 x 12	380~415	5250	50 / 60	3	0.36
EG3000FS	600 x 455 x 930	660 x 540 x 320	31	600 x 330 x 12	220~240	3000	50 / 60	1	0.11
EG3500FS-17	600 x 790 x 1010	677 x 845 x 445	48	597 x 470 x 12	220~240	3500	50 / 60	1	0.26
EG5250FS-17	900 x 790 x 1010	955 x 845 x 445	69	897 x 470 x 12	380~415	5250	50 / 60	3	0.36

Stainless Steel Gas Griddle

Table Top

GG2B-17

GG3B-17

GG4B-17



Front View



Side View

Front View



Side View



Front View



Side View

Free Standing

GG2BFS-17

GG3BFS-17

GG4BFS-17



Front View



Side View



Front View



Side View



Front View



Side View

- Full stainless steel constructed body, hygienic and easy to keep clean.
- Slope stainless steel side splashes and 75 mm backsplash.
- 12 mm thick flat polished steel griddle plate.
- Removable stainless steel grease drip pan and a drain hole fixed on the top.
- Ferro casting burner of 26,000 Btu each or 25.7 MJ for each 300 mm griddle width.
- Equipped with manual control, continuous burning pilot.
- Rear gas connection.
- Automatic piezo ignitor.
- Stand by manual lighting holes.
- The airated pilots are attached to each burner located beneath the griddle plate.

Model	Product Dimension (L X W X H) (mm)	Packing Dimension (L X W X H) (mm)	Weight (kg)	Cooking Surface Dimension (L X W) (mm)	Gas Consumption Btu/Hr (MJ/Hr)	Packing Volume (m^3)	Number Of Burner
GG2B-17	600 x 790 x 350	677 x 845 x 445	53	597 x 457	52000	0.26	2
GG3B-17	900 x 790 x 350	955 x 845 x 445	74	897 x 457	78000	0.36	3
GG4B-17	1200 x 790 x 350	1250 x 845 x 445	100	1197 x 457	104000	0.47	4
GG2BFS-17	600 x 790 x 1010	677 x 845 x 445	58	597 x 457	52000	0.26	2
GG3BFS-17	900 x 790 x 1010	955 x 845 x 445	81	897 x 457	78000	0.36	3
GG4BFS-17	1200 x 790 x 1010	1250 x 845 x 445	104	1197 x 457	104000	0.47	4

Stainless Steel Electrical Griddle (Half Ribbed)

Table Top | Free Standing

EG3500HR-17

EG5250HR-17

EG3500HRFS-17

EG5250HRFS-17

Front View



Side View



Front View



Side View



Front View



Side View

Front View



Side View

- Stainless steel body.
- Temperature range 50°C to 300°C.
- 1,2 to 3 tubular heaters of 1750 watt each.
- 12 mm thick, flat polished steel griddle plate.
- Removable stainless steel grease drip pan with drain holes.

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Hot Plate Size (L x W) (mm)	Rated Voltage (V)	Rated Wattage (W)	Frequency (Hz)	Phase	Packing Volume (m^3)
EG3500HR-17	600 x 790 x 350	677 x 845 x 445	43	597 x 457 x 12	220 ~ 240	3500	50 / 60	1	0.26
EG5250HR-17	900 x 790 x 350	955 x 845 x 445	62	897 x 457 x 12	380 ~ 415	5250	50 / 60	3	0.36
EG3500HRFS-17	600 x 790 x 1010	677 x 845 x 445	48	597 x 457 x 12	220 ~ 240	3500	50 / 60	1	0.26
EG5250HRFS-17	900 x 790 x 1010	955 x 845 x 445	69	897 x 457 x 12	380 ~ 415	5250	50 / 60	3	0.36

Stainless Steel Gas Griddle (Half Ribbed)



Front View



Side View

Front View



Side View

- Full stainless steel constructed body, hygienic and easy to keep clean.
- Slope stainless steel side splashes and 75 mm backsplash.
- 12 mm thick half ribbed polished steel griddle plate.
- Removable stainless steel grease drip pan and a drain hole fixed on the top.
- Ferro casting of 26,000 Btu each or 25.7 MJ for each 300 mm griddle width.
- Equipped with manual control, continuous burning pilot.
- Rear gas connection.
- Automatic piezo ignitor.
- Stand by manual lighting holes.
- The airated pilots are attached to each.

Table Top | Free Standing

GG2BHR-17

GG2BHRFS-17

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Cooking Surface Dimension (L x W) (mm)	Gas Consumption Btu/Hr (MJ/Hr)	Packing Volume (m^3)	Number Of Burner
GG2BHR-17	600 x 790 x 350	677 x 845 x 445	53	597 x 457	52000	0.26	2
GG2BHRFS-17	600 x 790 x 1010	677 x 845 x 445	58	597 x 457	52000	0.26	2

Stainless Steel Char Broiler

Table Top | **Free Standing**

CB3B-17

CB5B-17

CB3BFS-17

CB5BFS-17



Front View



Side View



Front View



Side View



Front View



Side View

Front View



Side View

- Full stainless steel constructed body and easy to keep clean.
- Equipped with manual control, continuous burning pilot.
- Rear gas connection.
- Automatic piezo ignitor.
- Standby manual lighting holes.
- The airated pilots are attached to each.

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Gas Consumption Btu/Hr (MJ/Hr)	Packing Volume (m^3)	Number Of Burner
CB3B-17	600 x 790 x 350	677 x 845 x 445	71	45000	0.26	3
CB5B-17	900 x 790 x 350	955 x 845 x 445	107	75000	0.36	5
CB3BFS-17	600 x 790 x 1010	677 x 845 x 445	76	45000	0.26	3
CB5BFS-17	900 x 790 x 1010	955 x 845 x 445	114	75000	0.36	5

Stainless Steel Char Rock Broiler

Table Top | **Free Standing**

CRB2B-17

CRB3B-17

CRB2BFS-17

CRB3BFS-17

Front View



Side View



Front View



Side View

Front View



Side View



Front View



Side View

- Full stainless steel constructed body and easy to keep clean.
- Equipped with manual control, continuous burning pilot.
- Rear gas connection.
- Automatic piezo ignitor.
- Standby manual lighting holes.
- The airated pilots are attached to each.

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Gas Consumption Btu/Hr (MJ/Hr)	Packing Volume (m^3)	Number Of Burner
CRB2B-17	600 x 790 x 350	677 x 845 x 445	65	60000	0.26	2
CRB3B-17	900 x 790 x 350	955 x 845 x 445	98	90000	0.36	3
CRB2BFS-17	600 x 790 x 1010	677 x 845 x 445	70	60000	0.26	2
CRB3BFS-17	900 x 790 x 1010	955 x 845 x 445	105	90000	0.36	3

Stainless Steel Combination Char Broiler Griddle



Front View



Side View

Front View



Side View

Table Top

CB3BGG1B-17

Free Standing

CB3BGG1BFS-17

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Cooking Surface Dimension (L x W) (mm)	Gas Consumption Btu/Hr (MJ/Hr)	Packing Volume (m^3)	Number Of Burner
CB3BGG1B-17	900 x 790 x 350	955 x 845 x 445	97	292 x 444	71000	0.36	3 + 1
CB3BGG1BFS-17	900 x 790 x 1010	955 x 845 x 445	104	292 x 444	71000	0.36	3 + 1

Stainless Steel Combination Open Burner Griddle



Front View



Side View



Front View



Side View

Table Top

OB4GG1B-17

Free Standing

OB4GG1BFS-17

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Cooking Surface Dimension (L x W) (mm)	Gas Consumption Btu/Hr (MJ/Hr)	Packing Volume (m^3)	Number Of Burner
OB4GG1B-17	900 x 790 x 350	955 x 845 x 445	77	294 x 500	106000	0.36	4 + 1
OB4GG1BFS-17	900 x 790 x 1010	955 x 845 x 445	84	294 x 500	106000	0.36	4 + 1

Stainless Steel Open Burner

Table Top

OB2S

OB2-17

OB4-17

OB6-17



Front View



Side View



Front View



Side View



Front View



Side View

Free Standing

OB2SFS

OB2FS-17

OB4FS-17

OB6FS-17

Front View



Side View

Front View



Side View

Front View



Side View

Front View



Side View

- Full stainless steel constructed body, hygienic and easy to keep clean.
- Removable cast iron top grate.
- Drip pan is easily to removable and cleaning.
- Free standing designed
- Even heat high input 20,000 Btu burners or 21.00 MJ.
- Precision brass valving.
- Automatic piezo ignitor.
- Stand by manual lighting holes.

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Gas Consumption Btu/Hr (MJ/Hr)	Packing Volume (m^3)	Number Of Burner
OB2S	600 x 417 x 350	700 x 530 x 420	28	40,000 (42.4)	0.16	2
OB2-17	306 x 790 x 350	350 x 845 x 445	28	40000	0.13	2
OB4-17	606 x 790 x 350	677 x 845 x 445	50	80000	0.26	4
OB6-17	906 x 790 x 350	955 x 845 x 445	73	120000	0.36	6
OB2SFS	600 x 417 x 860	700 x 530 x 420	35	40,000 (42.4)	0.16	2
OB2FS-17	306 x 790 x 1010	350 x 845 x 445	32	40000	0.13	2
OB4FS-17	606 x 790 x 1010	677 x 845 x 445	55	80000	0.26	4
OB6FS-17	906 x 790 x 1010	955 x 845 x 445	80	120000	0.36	6

Stainless Steel Combination Open Burner Griddle with Oven



Low Backsplash
Side View



OB4GG1BWOL
Front View

OB4GG1BWOL

Model	Product Dimension Outer Size (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Dimension Oven Size (L x W x H) (mm)	Weight (kg)	Gas Consumption Btu/Hr (MJ/Hr)	Packing Volume (m^3)	Number Of Burner
OB4GG1BWOL	900 x 790 x 1070	970 x 840 x 1000	790 x 550 x 300	163	134000 (138.7)	0.81	4 + 2

Stainless Steel Deluxe Range Oven with Open Burner



Front View



Side View



Front View



Side View

DRO4-17

DRO6-17

- Body build up by stainless steel materials.
- Easy door access for cooking area.
- Heavy duty cast iron section, which are removable and easy cleaning.
- Stainless steel handle for bottom oven.
- Thermal coupling safety valve for the oven.
- Adjustable heavy duty legs.

Model	Product Dimension Outer Size (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Dimension Oven Size (L x W x H) (mm)	Weight (kg)	Gas Consumption Btu/Hr (MJ/Hr)	Packing Volume (m^3)	Number Of Burner
DRO4-17	606 x 790 x 1010	650 x 840 x 1000	490 x 550 x 300	113	110000	0.55	4 + 1
DRO6-17	906 x 790 x 1010	970 x 840 x 1000	790 x 550 x 300	155	150000	0.82	6 + 1

Stainless Steel Stock Pot

Low Pressure

SP 1

SP 2

Ring Burner



High Pressure

SP 1-HP

SP 2-HP

Pineapple Burner



High Pressure

SP 1-HT

SP 2-HT

Trumpet Burner



Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Gas Comsumption Btu/Hr (MJ/Hr)	Gas Pressure	Burner Type
SP 1	600 x 600 x 520	655 x 750 x 350	40	56,000 (59)	LOW	Ring
SP 2	1200 x 600 x 520	1220 x 750 x 350	79	112,000 (118)	LOW	Ring
SP 1-HP	600 x 600 x 520	655 x 750 x 350	37	57,000 (60)	HIGH	Pipeapple
SP 2-HP	1200 x 600 x 520	1220 x 750 x 350	71	114,000 (120.8)	HIGH	Pipeapple
SP 1-HT	600 x 600 x 520	655 x 750 x 350	35	96,000 (101.7)	HIGH	Trumpet
SP 2-HT	1200 x 600 x 520	1220 x 750 x 350	69	192,000 (203)	HIGH	Trumpet

- Stainles steel body.
- Cast iron top grate.
- Precision brass gas cork.
- 4 adjustable legs.
- Drip pan is easily removable for cleaning. (except HT model)
- For ring burner, each ring with independent control. (model SP1,SP2,SP1-HP,SP2-HP).
- Real gas connection.

Stainless Steel Electrical Deep Fryer

DF13-17

DF12-17

DF11D-17

DF23S1B-17



- Thermostatically controlled to required temperature.
- Flip up control panel for easy cleaning.
- Stainless steel exterior design, hygienic & easy to keep clean.
- Basket with insulated handle hygienic and long lasting.
- Pilot light.
- Stainless steel oil pan (200 mm depth).
- Basket support for dripping (support to control panel).
- Over heat reset switch - prevents over heating.

Model	Pan Capacity (Litres)	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Packing Volume (m^3)	Basket Dimension (L x W x H) (mm)	Weight (kg)	Thawad Chips Production (kg / Hr)	Power (kW)	Voltage, Frequency (V, Hz)
DF13-17	6	177 x 418 x 337	500 x 245 x 425	0.05	135 x 235 x 100	5	6	2.4	220~240, 50 / 60
DF12-17	9	269 x 418 x 337	550 x 335 x 425	0.07	210 x 250 x 100	6	11	3.0	
DF11D-17	9 x 2	538 x 418 x 337	605 x 570 x 425	0.13	210 x 250 x 100	11	20	3.0 x 2	
DF23S1B-17	12	354 x 418 x 337	540 x 435 x 425	0.06	280 x 240 x 100	7	11	3.0	

Stainless Steel Electrical Deep Fryer

Table Top

Free Standing



Table Top



Side View





Front View





SDF 12

SDF 12D

Free Standing

FSSDF 12

FSSDF 12D

- Thermostatically controlled to required temperature.
- Flip up control panel for easy cleaning.
- Stainless steel exterior design, hygienic & easy to keep clean.
- Basket with insulated handle hygienic and long lasting.
- Pilot light.
- Stainless steel oil pan.
- Basket support for dripping.
- Over heat reset switch - prevents over heating.

Model	Pan Capacity (Litres)	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Basket Dimension (L x W x H) (mm)	Weight (kg)	Thawad Chips Production (kg / Hr)	Power (kW)	Packing Volume (m^3)	Voltage, Frequency (V, Hz)
SDF 12	9	310 x 550 x 440	360 x 630 x 500	200 x 240 x 100	13.5	18	5.5	0.11	380~415, 50/60
SDF 12D	9 x 2	640 x 550 x 440	630 x 690 x 500	200 x 240 x 100	27.0	36	5.5 x 2	0.22	380~415, 50/60
FSSDF 12	9	310 x 590 x 990	360 x 650 x 930	200 x 240 x 100	25	27	5.5	0.18	380~415, 50/60
FSSDF 12D	9 x 2	640 x 590 x 990	700 x 650 x 950	200 x 240 x 100	45	43	5.5 x 2	0.41	380~415, 50/60

Stainless Steel Gas Deep Fryer



Side View



Side View

Front View



Front View

Table Top

GDF 12

GDF 11D



Front View



Front View

Free Standing



Tube-Fire Heating System

FSGDF 12

FSGDF 11D



Honey Comb Burner

Filtration Basket and Container

- Body - Fully stainless steel constructed body, hygienic and easy to keep clean.
- Chrome plated mesh basket.
- Stainless steel oil pan, stainless steel grid screen and drain pipe.
- Suitable for LPG and NG.
- Airated burner, high thermal efficiency, low carbon monoxide emission.
- Equipped with thermocouple. If fire accidentally go off, this safety device will automatically cut off gas supply.
- Equipped with high limits safety device. Burner will automatically goes off if oil temperature exceed 230°C.
- The thermostat control allows us to select our ideal cooking temperature.
- Lock oil cork for safety.
- Burners of 11,000 Btu / 11.6 MJ each.
- Fryer standing model, extra filtration basket and container.

Model	Pan Capacity (Litres)	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Basket Dimension (L x W x H) (mm)	Weight (kg)	Gas Consumption Btu / Hr (MJ / Hr)	Packing Volume (m^3)
GDF 12	11	310 x 675 x 460	360 x 730 x 490	220 x 250 x 100	21	22000 (23.3)	0.13
GDF 11D	11 x 2	640 x 675 x 460	685 x 710 x 461	220 x 250 x 100	40	44000 (46.6)	0.22
FSGDF12	11	310 x 715 x 1020	360 x 770 x 1010	220 x 250 x 100	36	22000 (23.3)	0.28
FSGDF11D	11 x 2	640 x 715 x 1020	700 x 770 x 1010	220 x 250 x 100	61	44000 (46.6	0.50

Stainless Steel Gas Deep Fryer Economic

Free Standing

Front View



Side View



Top View


Honey Comb Burner


Tube-Fire Heating System

GDFE1BFS-17

GDFE2BFS-17

- Body – Full stainless steel constructed body, hygienic and easy to keep clean.
- Chrome plated mesh basket.
- Stainless steel grid screen and drain pipe.
- Burner with high thermal efficiency, low carbon monoxide emission.
- Equipment with thermocouple. If fire accidentally goes off, this safety device will automatically cut off gas supply.
- Equipped with high limit safety device. Burner will automatically goes off if oil temperature exceed 230°C.
- The thermostat control allows is to select our ideal cooking temperature.
- Suitable for LPG and NG.

Model	Pan Capacity (Litres)	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Basket Dimension (L x W x H) (mm)	Weight (kg)	Gas Consumption Btu / Hr (MJ / Hr)	Packing Volume (m^3)
GDFE1BFS-17	27	400 x 790 x 1090	480 x 910 x 1200	310 x 330 x 150	64	128000	0.52
GDFE2BFS-17	27	400 x 790 x 1090	480 x 910 x 1200	165 x 335 x 150	65	128000	0.52

Stainless Steel Tempura Fryer

TF 24

Filtration Basket and Container



Tube-Fire Heating System

FRONT VIEW



SIDE VIEW

- Body – Full stainless steel constructed body, hygienic and easy to keep clean.
- Burner with high thermal efficiency, low carbon monoxide emission.
- Equipped with thermocouple. If fire accidentally goes off, this safety device will automatically cut off gas supply.
- Equipped with high limit safety device. Burner will automatically go off if oil temperature exceed 230°C.
- The thermostat control allows selection of ideal cooking temperature.
- Suitable for LPG and NG.
- Filtration basket and container.
- Side tray provided.

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Tank Capacity (Litres)	Weight (kg)	Gas Consumption Btu / Hr (MJ / Hr)	Volume (m^3)
TF 24	550 x 600 x 1070	600 x 660 x 1020	34	45	30000 (31.8)	0.4

Stainless Steel Gas Pasta Boiler

- Full stainless steel constructed body and easy to keep clean.
- Electronic impulse ignition (piezo) with safety device
- With 6 cooking baskets.
- Floor type with non-slip devices.



GPB6BFS-17

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Gas Consumption Btu / Hr (MJ / Hr)	Packing Volume (m^3)	Number Of Burner
GPB6BFS-17	400 x 790 x 1010	450 x 840 x 1000	43	52000	0.38	3

Stainless Steel Electrical Contact Toaster



- Self balancing for upper plate.
- Sanded and vitrified cast iron top fusion with splash guards.
- Oil collection tray.
- Easy thermostatically controlled.

CG 11

CG 22

CG 23

Model	Description	Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Working Area	Voltage, Power (V, kW)	Frequency (Hz)	Weight (kg)	Packing Volume (m^3)
CG 11	Single striped	330 x 350 x 250	380 x 460 x 260	260 x 250	220~240, 2.5	50/60	22	0.05
CG 22	Double striped	620 x 350 x 250	670 x 460 x 260	545 x 250	380~415, 5.0	50/60	40	0.08
CG 23	Single striped	410 x 350 x 250	460 x 460 x 260	325 x 250	220~240, 2.5	50/60	27	0.06

Stainless Steel Gas BBQ Burner



BBQ 001

BBQ 002

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Gas Comsumption Btu/Hr (MJ/Hr)	Packing Volume (m^3)
BBQ 001	670 x 300 x 160	730 x 350 x 220	8.4	15,000 (15.9)	0.056
BBQ 002	980 x 300 x 160	994 x 310 x 185	12.0	24,000 (25.4)	0.057

- Stainless steel body.
- Built in grease drip pan.
- Gas burners with independent control knob.
- Ideal for BBQ.

Stainless Steel Electrical Salamanda



Side View



Front View

E-SALA 11

- Stainless steel construction
- Large capacity griller and warmer.
- Top element with thermostat controls to adjust the intensity of heat.
- Removable oil drips pan for easy cleaning
- Pilot light to indicate element is on.
- Ideal for heating, baking and gratinating, cooking pizza, sandwiches, cake and etc.
- Equipped with a chromed plated heavy duty rack, with 3 shelf position.
- Rack equipped with positive safety stop for pull out position.
- Can be wall mounted. (wall brackets not inclusive)

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Rated Voltage (V)	Rated Wattage (W)	Frequency (Hz)	Weight (kg)	Rack Area (m^2)	Packing Volume (m^3)
E-SALA 11	710 x 450 x 370	750 x 450 x 490	220~240	3000	50 / 60	18	0.26	0.165

Stainless Steel Gas Salamanda



Side View



Front View



Front View

SALA 11N

SALA 22N

- Stainless steel front and sides
- Gas-fired infra-red burner provides instant, even heating.
- Adjustable gas valves and continuous pilot for instant ignition.
- Equipped with a chrome plated heavy duty rack, with 3 shelf position, rolls out a full 260mm for easy loading and unloading.
- Full width drip pan can be easily removed for cleaning.
- Can be wall mounted. (wall brackets not inclusive)

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	No. Of Burner	Weight (kg)	Gas Consumption (Btu / Hr)	Rack Area (m^2)	Packing Volume (m^3)
SALA 11N	640 x 580 x 525	700 x 650 x 615	1	40	22000	0.15	0.273
SALA 22N	945 x 580 x 525	1000 x 650 x 615	1	53	38500	0.24	0.39

Hot Display Warmer

Colourbond Base

Stainless Steel Base

- Illuminated by warm fluorescent lamp.
- Ideal for pastry display.
- An underneath cabinet is available for standby pastry storage.



Back View

2 Tiers



Side View



Back View

3 Tiers



Side View

Model		Product Dimension	Packing Dimension	Temperature	Level of	Normal	Total	Packing
Maroon Colourbond Base	Black Colourbond Base	(L x W x H) (mm)	(L x W x H) (mm)	Range	Shelvings	Amps (A)	Load (W)	Volume (m3)
HDW09GM13-2	HDW09SB13-2	900 x 700 x 1350	950 x 770 x 1380	40°C ~ 70°C	2	7.00	1660	1.00
HDW12GM13-2	HDW12SB13-2	1200 x 700 x 1350	1250 x 770 x 1380	40°C ~ 70°C	2	7.50	1730	1.33
HDW15GM13-2	HDW15SB13-2	1500 x 700 x 1350	1550 x 770 x 1380	40°C ~ 70°C	2	7.60	1750	1.65
HDW18GM13-2	HDW18SB13-2	1800 x 700 x 1350	1850 x 770 x 1380	40°C ~ 70°C	2	14.60	3350	1.97
HDW24GM13-2	HDW24SB13-2	2400 x 700 x 1350	2450 x 770 x 1380	40°C ~ 70°C	2	15.00	3460	2.60
HDW09GM13-3	HDW09SB13-3	900 x 700 x 1350	950 x 770 x 1380	40°C ~ 70°C	3	7.00	1660	1.00
HDW12GM13-3	HDW12SB13-3	1200 x 700 x 1350	1250 x 770 x 1380	40°C ~ 70°C	3	7.50	1730	1.33
HDW15GM13-3	HDW15SB13-3	1500 x 700 x 1350	1550 x 770 x 1380	40°C ~ 70°C	3	7.60	1750	1.65
HDW18GM13-3	HDW18SB13-3	1800 x 700 x 1350	1850 x 770 x 1380	40°C ~ 70°C	3	14.60	3350	1.97
HDW24GM13-3	HDW24SB13-3	2400 x 700 x 1350	2450 x 770 x 1380	40°C ~ 70°C	3	15.00	3460	2.60
Stainless Steel Base								
HDW-09SS-2		900 x 700 x 1350	950 x 770 x 1380	40°C ~ 70°C	2	7.00	1660	1.00
HDW-12SS-2		1200 x 700 x 1350	1250 x 770 x 1380	40°C ~ 70°C	2	7.18	1680	1.33
HDW-15SS-2		1500 x 700 x 1350	1550 x 770 x 1380	40°C ~ 70°C	2	7.23	1700	1.65
HDW-18SS-2		1800 x 700 x 1350	1850 x 770 x 1380	40°C ~ 70°C	2	13.26	2897	1.97
HDW-24SS-2		2400 x 700 x 1350	2450 x 770 x 1380	40°C ~ 70°C	2	14.65	3390	2.60
HDW-09SS-3		900 x 700 x 1350	950 x 770 x 1380	40°C ~ 70°C	3	7.00	1660	1.00
HDW-12SS-3		1200 x 700 x 1350	1250 x 770 x 1380	40°C ~ 70°C	3	7.18	1680	1.33
HDW-15SS-3		1500 x 700 x 1350	1550 x 770 x 1380	40°C ~ 70°C	3	7.23	1700	1.65
HDW-18SS-3		1800 x 700 x 1350	1850 x 770 x 1380	40°C ~ 70°C	3	13.26	2897	1.97
HDW-24SS-3		2400 x 700 x 1350	2450 x 770 x 1380	40°C ~ 70°C	3	14.65	3390	2.60

Rectangular Hot Display Warmer

Colourbond Base

Stainless Steel Base

- Illuminated by warm fluorescent lamp.
- Ideal for pastry display.
- An underneath cabinet is available for standby pastry storage.



Back View

2 Tiers



Side View



Back View

3 Tiers



Side View

Model		Product Dimension	Packing Dimension	Temperature	Level of	Normal	Total	Packing
Maroon Colourbond Base	Black Colourbond Base	(L x W x H) (mm)	(L x W x H) (mm)	Range	Shelvings	Amps (A)	Load (W)	Volume (m3)
RHDW09GM13-2	RHDW09SB13-2	900 x 700 x 1350	950 x 770 x 1380	40°C ~ 70°C	2	7.00	1660	1.00
RHDW12GM13-2	RHDW12SB13-2	1200 x 700 x 1350	1250 x 770 x 1380	40°C ~ 70°C	2	7.50	1730	1.33
RHDW15GM13-2	RHDW15SB13-2	1500 x 700 x 1350	1550 x 770 x 1380	40°C ~ 70°C	2	7.60	1750	1.65
RHDW18GM13-2	RHDW18SB13-2	1800 x 700 x 1350	1850 x 770 x 1380	40°C ~ 70°C	2	14.60	3350	1.97
RHDW24GM13-2	RHDW24SB13-2	2400 x 700 x 1350	2450 x 770 x 1380	40°C ~ 70°C	2	15.00	3460	2.60
RHDW09GM13-3	RHDW09SB13-3	900 x 700 x 1350	950 x 770 x 1380	40°C ~ 70°C	3	7.00	1660	1.00
RHDW12GM13-3	RHDW12SB13-3	1200 x 700 x 1350	1250 x 770 x 1380	40°C ~ 70°C	3	7.50	1730	1.33
RHDW15GM13-3	RHDW15SB13-3	1500 x 700 x 1350	1550 x 770 x 1380	40°C ~ 70°C	3	7.60	1750	1.65
RHDW18GM13-3	RHDW18SB13-3	1800 x 700 x 1350	1850 x 770 x 1380	40°C ~ 70°C	3	14.60	3350	1.97
RHDW24GM13-3	RHDW24SB13-3	2400 x 700 x 1350	2450 x 770 x 1380	40°C ~ 70°C	3	15.00	3460	2.60
Stainless Steel Base								
RHDW-09SS-2		900 x 700 x 1350	950 x 770 x 1380	40°C ~ 70°C	2	7.00	1660	1.00
RHDW-12SS-2		1200 x 700 x 1350	1250 x 770 x 1380	40°C ~ 70°C	2	7.18	1680	1.33
RHDW-15SS-2		1500 x 700 x 1350	1550 x 770 x 1380	40°C ~ 70°C	2	7.23	1700	1.65
RHDW-18SS-2		1800 x 700 x 1350	1850 x 770 x 1380	40°C ~ 70°C	2	13.26	2897	1.97
RHDW-24SS-2		2400 x 700 x 1350	2450 x 770 x 1380	40°C ~ 70°C	2	14.65	3390	2.60
RHDW-09SS-3		900 x 700 x 1350	950 x 770 x 1380	40°C ~ 70°C	3	7.00	1660	1.00
RHDW-12SS-3		1200 x 700 x 1350	1250 x 770 x 1380	40°C ~ 70°C	3	7.18	1680	1.33
RHDW-15SS-3		1500 x 700 x 1350	1550 x 770 x 1380	40°C ~ 70°C	3	7.23	1700	1.65
RHDW-18SS-3		1800 x 700 x 1350	1850 x 770 x 1380	40°C ~ 70°C	3	13.26	2897	1.97
RHDW-24SS-3		2400 x 700 x 1350	2450 x 770 x 1380	40°C ~ 70°C	3	14.65	3390	2.60

Stainless Steel Electrical Display Warmer

DW 311



Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Capacity Foodpan	Weight (kg)
DW 211	760 x 750 x 530	840 x 813 x 610	2 full size (65mm Dept)	48
DW 311	1095 x 750 x 530	1200 x 830 x 610	3 full size (65mm Dept)	64

Power		Voltage, Frequency (V, Hz)	Temperature (°C)	Packing Volume (m³)
(W) (mm)	(W) (mm)			
2200	35 / 37	220~240, 50 / 60	30 ~ 90	0.42
2900	35 / 37	220~240, 50 / 60	30 ~ 90	0.61

Stainless Steel Electrical Pie Warmer

FW-5G



Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)
FW-5G	600 x (398 + 37) x 540	670 x 485 x 610	23

Vol (m³)	Level Of Shelvings	Normal Amps (A)	Total Load (W)
0.082	3	3.5	860

Stainless Steel Electrical Food Warmer with Thermometer

NFW 50-2

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Vol (m^3)	Level Of Shelvings	Normal Amps (A)	Total Load (W)
NFW35-2	560 x (360 + 86) x 515	620 x 420 x 585	20	0.15	3	3.7	860
NFW40-2	560 x (360 + 86) x 724	620 x 420 x 815	25	0.21	5	3.7	860
NFW45-2	800 x (360 + 86) x 515	875 x 420 x 585	25	0.21	3	5.0	1160
NFW50-2	800 x (360 + 86) x 724	860 x 420 x 820	35	0.30	5	5.0	1160
NFW55-2	997 x (495 + 86) x 617	1055 x 555 x 690	44	0.40	3	6.9	1190

Stainless Steel Electrical Food Warmer

FW 35



Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Weight (kg)	Vol (m3)	Level Of Shelvings	Normal Amps (A)	Total Load (W)
FW 35	557 x (337 + 84) x 515	615 x 395 x 580	18	0.14	3	3.5	810
FW 40	557 x (362 + 84) x 720	615 x 420 x 815	24	0.21	5	4.6	1060
FW 45	797 x (337 + 84) x 515	855 x 395 x 585	23	0.20	3	4.6	1060
FW 50	797 x (362 + 84) x 720	855 x 420 x 810	32	0.29	5	6.8	1560
FW 55	1000 x (501 + 84) x 620	1060 x 560 x 690	40	0.41	3	6.9	1590

Stainless Steel Electrical Steam Machine (Electrical Pao Steamer)

ESM 44

ESM 55

Stainless Steel Gas Steam Machine (Gas Pao Steamer)

ESM 66

Model	Dimension Top (L x W x H) (mm)	Dimension Base (L x W x H) (mm)	Machine Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Power (W)	Voltage, Frequency (V, Hz)	Weight (kg)	Packing Volume (m^3)
ESM 44	350 x 385 x 605	380 x 400 x 170	380 x 425 x 795	510 x 510 x 905	1130	220~240, 50 / 60	30	0.24
ESM 55	450 x 485 x 713	480 x 500 x 170	480 x 525 x 910	620 x 620 x 975	1130	220~240, 50 / 60	44	0.37

Model	Machine Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Water Storage Tank (Litres)	Capacity	Burner (LPG)	Voltage, Frequency (V, Hz)	Weight (kg)	Packing Volume (m^3)
ESM 66	670 x 635 x 1580	665 x 674 x 1600	30	180 pcs (6 rack)	E 40	220~240, 50/60	60	0.67

Stainless Steel Infra Red Heating Lamp



- Aluminium housing.
- Tubular metal sheathed infra-red heating element.

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Power (W)	Weight (kg)	Packing Volume (m^3)
IR 510	610 x 155 x 65	653 x 210 x 75	510	3	0.01
IR 810	915 x 155 x 65	933 x 210 x 75	810	4	0.01
IR 1000	1200 x 155 x 65	1233 x 210 x 75	1000	5	0.02

Stainless Steel Mini Infra-Red Food Warmer

MIR 11



- Mini infra-red foodwarmer keep all hot food at optimum serving temperature.

Model	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Size of Food Pan	Power (W)	Weight (kg) (m^3)	Packing Volume
MIR 11	615 x 335 x 420	657 x 380 x 257	FP1/1-2.5	510	6.5	0.06

Stainless Steel Electrical Water Urn (Concealed Element)

WU-CH-50L

- Polished stainless steel 304 body
- Easy for cleaning
- Durable and non-drip faucet.
- Brass faucet.
- Thermostatically control.



Model	Capacity (Litres)	No. of Cups	Dimension (H x Ø) (mm)	Watt (W)	Voltage, Frequency (V, Hz)	Packing Dimension (L x W x H) (mm)	Weight (kgs)	Packing Volume (m^3)
WU-CH-20L	20	90	430 x 275	2800	220~240, 50 / 60	330 x 330 x 460	5.3	0.05
WU-CH-30L	30	140	450 x 330	2800	220~240, 50 / 60	360 x 360 x 500	5.9	0.06
WU-CH-40L	40	190	460 x 380	2800	220~240, 50 / 60	410 x 410 x 510	7.0	0.09
WU-CH-50L	50	240	538 x 380	2800	220~240, 50 / 60	410 x 410 x 565	8.0	0.10

Stainless Steel Electrical Corn Steamer

ECS 46SSC

ECS 63SSC





Stainless Steel Gas Corn Steamer

GCS 55SSC



Model	Capacity (Corns)	Fuel	Power (W)	Measurements (H x Ø) (mm)	Weight (kg)	Packing Dimension (mm)	Packing Volume (m^3)
ECS 63SSC	20	Electricity	3000	550 x 395	7	410 x 410 x 500	0.08
ECS 46SSC	20	Electricity	3000	465 x 390	12	410 x 410 x 500	0.08
GCS 55SSC	20	Gas	16,500 (17.5)	550 x 395	11	410 x 410 x 500	0.08

Stainless Steel Kebab Machine (Shawerma Griller)



Gas Operated

Automatic

- Stainless steel body.
- Large drip tray for easy cleaning.
- Motorised spinning.
- Burner has security thermocouple which cuts off gas flow automatically when flame goes out.
- Easy to operate gas valve control.
- Adjustable heat control by side buttons.
- Lower gas consumption.
- Fitted with 2 to 3 gas burners which can be regulated individually.
- Automatic operating mechanism.

KM 2B

KM 3B

Model	Gas Consumption (Btu / Hr) (MJ / Hr)	Voltage, Frequency (V, Hz)	Capacity (kg of meat)	Weight (kg)	Product Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Packing Volume (m^3)
KM 2B	16,000 (17)	220~240 , 50	15 ~ 20	29	480 x 675 x 780	540 x 655 x 780	0.28
KM 3B	24,000 (25.4)	220~240 , 50	20 ~ 30	33	480 x 675 x 975	540 x 655 x 970	0.34



Gas Operated

Manual

- Stainless steel body.
- Manual spinning.
- Lower gas consumption.
- Fitted with 2 or 3 gas burner which can be regulated individually.

KM 2

KM 3

Model	Gas Consumption (Btu / Hr) (MJ / Hr)	Capacity (kg of meat)	Weight (kg)	Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Operation Mechanism	Packing Volume (m^3)
KM 2	16,000 (17)	15 ~ 20	19	408 x 508 + 30 x 602	655 x 540 x 780	Manual	0.28
KM 3	24,000 (25.4)	20 ~ 30	23	408 x 508 + 30 x 777	655 x 540 x 970	Manual	0.34

Stainless Steel Kebab Machine (Shawerma Griller)



Electrical Operated

Automatic

- Stainless steel body.
- Large drip tray for easy cleaning.
- Motorised spinning.
- Fitted with 2 or 3 armoured heating elements, separately controlled.
- All heating elements are fitted with heat reflecter for efficient heating.
- Automatic operating mechanism.

KM 2H

KM 3H

Model	Power (kW)	Voltage, Frequency (V, Hz)	Capacity (kg of meat)	Weight (kg)	Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Packing Volume (m^3)
KM 2H	5.0	380~415, 50	15 ~ 20	29	520 x 635 x 770	540 x 655 x 780	0.28
KM 3H	7.5	380~415, 50	20 ~ 30	33	520 x 635 x 968	540 x 655 x 977	0.34

Stainless Steel Hot Food Display

Berjaya Hot Food Display Enhance Safety, Efficiency And Reliability.

- HFD24-65
- HFD24-100

- HFD25-65
- HFD25-100

- Stainless steel netting sliding door.
- Toughed curved glass, giving full view display.
- Overhead illuminated by fluorescent lamp.
- Removable cross bar.
- 30°C ~ 110°C thermostat control for wet operation with thermometer reading.
- Choices of 65mm or 100mm food pan.

HFD24

HFD25



Side View | Front View | Top View

Model	Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Capacity	Power Heater (W)	Voltage, Frequency (V, Hz)	Thermostat (°C)	Amp (A)	Weight (kg)	Packing Volume (m^3)
HFD24-65	1355 x 615 x 765	1500 x 795 x 940	8 x FP½ - 2.5 Foodpan	3000	220-240, 50/60	30 – 110	11	73	1.12
HFD24-100	1355 x 615 x 765	1500 x 795 x 940	8 x FP½ - 4 Foodpan	3000	220~240, 50/60	30 - 110	11	74	1.12
HFD25-65	1680 x 615 x 765	1830 x 795 x 940	10 x FP½ - 2.5 Foodpan	3000	220-240, 50/60	30 – 110	11	87	1.37
HFD25-100	1680 x 615 x 765	1830 x 795 x 940	10 x FP½ - 4 Foodpan	3000	220-240, 50/60	30 – 110	11	89	1.37

Stainless Steel Mini Bain Marie Counter With Food Tray

BMC 4 (WC)
With Cover

BMC 4

BMC 5

BMC 6

BMC 8



Side View



Front View

- Attractive functional units with sneeze guard and maintain foods at serving temperature.
- Made of stainless steel & easy thermostatically controlled.

Model	No. of Food Tray	Size of Food Tray (L x W x H) (mm)	Machine Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)	Power (W)	Voltage, Frequency (V, Hz)	Weight (kg)	Option	Packing Volume (m^3)
BMC 4	4	300 x 190 x 40	885 x 330 x 270	940 x 380 x 190	1000	220~240, 50 / 60	12	without cover	0.07
BMC 5	5	300 x 190 x 40	1083 x 330 x 270	1133 x 380 x 190	1200	220~240, 50 / 60	13.5	without cover	0.08
BMC 6	6	300 x 190 x 40	1275 x 330 x 270	1325 x 380 x 190	1400	220~240, 50 / 60	16	without cover	0.10
BMC 8	8	300 x 190 x 40	1670 x 330 x 270	1770 x 380 x 190	1400	220~240, 50 / 60	21	without cover	0.13
BMC 4WC	4	300 x 190 x 40	885 x 330 x 270	940 x 380 x 190	1000	220~240, 50 / 60	14	with cover	0.07
BMC 5WC	5	300 x 190 x 40	1083 x 330 x 270	1133 x 380 x 190	1200	220~240, 50 / 60	16.6	with cover	0.8
BMC 6WC	6	300 x 190 x 40	1275 x 330 x 270	1325 x 380 x 190	1400	220~240, 50 / 60	19.6	with cover	0.10
BMC 8WC	8	300 x 190 x 40	1670 x 330 x 270	1770 x 380 x 190	1400	220~240, 50 / 60	25.3	with cover	0.13

Stainless Steel Electrical Bain Marie

- Made of stainless steel & easy thermostatically controlled.
- Supply without foodpan.

Free Standing

Model	No. of Food Pan	Machine Dimension (L x W x H) (mm)	Wattage (W)	Voltage, Frequency (V, Hz)	Weight (kg)
BM 3	3 full size or 6 half size	1220 x 760 x 840	3000	220~240, 50 / 60	38
BM 4	4 full size or 8 half size	1525 x 760 x 840	3000	220~240, 50 / 60	45
BM 5	5 full size or 10 half size	1830 x 760 x 840	3000	220~240, 50 / 60	51
BM 6	6 full size or 12 half size	2135 x 760 x 840	3000	220~240, 50 / 60	58
BM 15	15 half size	1830 x 965 x 840	3000	220~240, 50 / 60	61
BM 18	18 half size	2135 x 965 x 840	3000	220~240, 50 / 60	69
BM 21	21 half size	2440 x 965 x 840	3000	220~240, 50 / 60	77

BM 4

Stainless Steel Gas Tilting Kettle



Side View



Front View


Top View

The gas tilting kettle is designed for you to fry, boil, grill, simmer and braise big quantity of dishes without problems of handing extra utensils.

- Elegant design.
- Manual tilting by manual wheel.
- Body and cover - Fully stainless steel constructed, hygienic and easy to clean.
- Cover with phenolic heat insulated handle.
- Cast Iron Wok / Stainless Steel Wok.
- Multi Tube Burner.

TK43CW

Model	Wok Capacaity (Litres)	Wok Dimension (Ø x H) (mm)	Gas Consumption Btu / Hr (MJ / Hr)	Product Dimension (L x W x H) (mm)	Weight (kg)	Type
TK43CW	180	880 x 360	90,000 (95)	1400 x 880 x 1120	150	Cast Iron Wok
TK43SW	180	880 x 360	90,000 (95)	1400 x 880 x 1120	160	Stainless Steel Wok

Stainless Steel Gas Tilting Pan



Side View



Front View



Top View

The gas tilting pan is designed for you to fry, boil, grill, simmer and braise big quantity of dishes without problems of handing extra utensils.

- Elegant design.
- Manual tilting by manual wheel.
- Body and cover - Fully stainless steel constructed, hygienic and easy to clean.
- Stainless steel pan.
- Two H cast iron burners.
- Piezo ignitor system for easy lighting and thermocouple safety device.

TP3237

Model	Pan Capacity (Litres)	Pan Dimension (L x W x H) (mm)	Gas Consumption Btu / Hr (MJ / Hr)	Product Dimension (L x W x H) (mm)	Weight (kg)
TP3237	80	740 x 600 x 200	52,000 (55)	940 x 1040 x 980	154

Stainless Steel Gas Boiling Pan

Side View



Front View



Top View

This boiling pan is designed for boiling water and beverages. It can also cook rice with the basket.

- Elegant design
- Body - External and internal, fully 304 stainless steel constructed, hygienic and easy to keep clean.
- Cover - Aluminium with phenolic heat insulated handle.
- Cast iron standard ring burner.

Note:- Model BP30 : No basket

Options:- Stainless steel basket for rice cooking (BP30B)

Model	Internal Capacity (Litres)	Internal Dimension (Ø x Depth) (mm)	Gas Consumption (Btu / Hr)	Machine Dimension (Ø x H) (mm)	Basket Dimension (Ø x H) (mm)	Weight (kg)
BP30	110	530 x 530	59,500	1110 x 960	-	56
BP30B	-	-	-	-	460 x 450	4

Stainless Steel Gas Kwali Cooker


Side View



Front View


Top View

The gas kwali cooker is designed for you to fry, boil, grill, simmer and braise big quantity of dishes without problems of handling extra utensils.

- Elegant design.
- Body - External fully 304 stainless steel constructed, hygienic and easy to keep clean
- Cover - Aluminium with phenolic heat insulated handle.
- Cast iron wok.
- Cast iron standard ring burner.

Model	Wok Capacity (Litres)	Wok Dimension (Ø x Depth) (mm)	Gas Consumption (Btu / Hr)	Machine Dimension (Ø x Depth) (mm)	Weight (kg)
KC24	20	610 x 160	59,000	930 x 920	44
KC36	80	915 x 250	59,000	1230 x 920	60
KC48	200	1220 x 360	110,000	1500 x 920	137

Stainless Steel Duck Roaster

(without Hanger)

(with Hanger)

Charcoal Stove



Gas (High Pressure)

Charcoal Stove	Model	Dimension (H x Ø) (mm)
	CS	300 x 320

Model	Charcoal	Gas	Dimension (H x Ø) (mm)	Burner (LPG)
A-C27	Small		1270 x 685	-
A-C33	Large		1525 x 840	-
A-G27		Small	1270 x 685	E40
A-G33		Large	1525 x 840	E40

Model	Charcoal	Gas	Dimension (H x Ø) (mm)	Burner (LPG)
A-HC27	Small		1270 x 685	-
A-HC33	Large		1525 x 840	-
A-HG27		Small	1270 x 685	E40
A-HG33		Large	1525 x 840	E40

Stainless Steel Charcoal Lamb Roaster



- Stainless steel body, spits and netting
- Use charcoal
- Meat can be cooked at different temperature by adjusting to different height
- Removable oil drip pan
- Spits manually rotate

Model	Dimension (L x W x H) (mm)	Weight (kg)	Packing Volume (m^3)
LR-47	1230 x 770 x 760	70	0.7

Stainless Steel Gas Meat Griller With Char Rock



- Stainless steel body and stainless steel spits.
- 4 walls with insulating bricks
- Gas burner with independent control knob
- Burner of 3000 btu / 31.8 MJ each
- The char rocks retain heat to minimize recovery time during peak hour
- Spits manually rotate

Model	Dimension (L x W x H) (mm)	Gas Consumption Btu / Hr (MJ / Hr)	Number of Burner
MG43	1095 x 620 x 670	90,000 (95.4)	3

Weight (kg)	Packing Volumn (m^3)
177	0.46

Stainless Steel Gas Rotisseries

GR 001



Side View



Front View

- Stainless steel body.
- Unique convection heating system and direct infrared radiation.
- large glass doors provide customers optimum view of appealing turning browning chicken.

Model	Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)		Each Burner Capacity Btu / Hr (MJ / Hr)
GR 001	850 x 600 x 1050	975 x 720 x 1105		40,000 (42.2)
	Voltage, Frequency (V, Hz)	Weight (kg)	No. of Burner	Packing Volume (m³)
	220~240, 50 / 60	106	2	0.78

Stainless Steel Electrical Rotisseries

ER 001



Side View

Front View

- Interior lighting.
- 2 armoured heating elements in the lower part and infra-red quartz in the upper part.
- Inside is completely removable for easy cleaning.
- Easy thermostatically controlled.
- Spit and basket interchangable.

Model	Dimension (L x W x H) (mm)	Packing Dimension (L x W x H) (mm)		Capacity
ER 001	870 x 625 x 895	925 x 785 x 970		20 ~ 25 poultry
	Power (kw)	Weight (kg)	Voltage, Frequency (V, Hz)	Packing Volume (m³)
	13.7	88	380~415. 50 / 60	0.7

Stainless Steel Coconut Milk Machine

Model	Motor Power (HP)	Capacity (kg / Hr)	Dimension (L x W x H) (mm)	Voltage, Frequency (V, Hz)	Weight (kg)
CMM001	1	14	1040 x 550 x 1010	220~240, 50	123

Cutlery & Crockery Trolley (Knock Down)

MODEL	FULLY BUILD-UP DIMENSION (L x W x H) (mm)
3TCT(S)	730 x 420 x 980
3TCT(L)	810 x 470 x 1020

MODEL	FULLY BUILD-UP DIMENSION (L x W x H) (mm)
4TCT(S)	730 x 420 x 1250
4TCT(L)	810 x 470 x 1250

Stainless Steel Foodpan

Full Size Food Pan
Pieces per Carton : 6

Model	Dimension (L x W x D) (mm)
FP 1/1-2.5	530 x 325 x 65
FP 1/1-4	530 x 325 x 100
FP 1/1-6	530 x 325 x 150
FP 1/1-8	530 x 325 x 205

Half Size Food Pan
Pieces per Carton : 12

Model	Dimension (L x W x D) (mm)
FP 1/2-2.5	325 x 265 x 65
FP 1/2-4	325 x 265 x 100
FP 1/2-6	325 x 265 x 150
FP 1/2-8	325 x 265 x 205

Third Size Food Pan
Pieces per Carton : 18

Model	Dimension (L x W x D) (mm)
FP 1/3-2.5	325 x 176 x 65
FP 1/3-4	325 x 176 x 100
FP 1/3-6	325 x 176 x 150

Quarter Size Food Pan
Pieces per Carton : 24

Model	Dimension (L x W x D) (mm)
FP 1/4-2.5	265 x 162 x 65
FP 1/4-4	265 x 162 x 100
FP 1/4-6	265 x 162 x 150

Sixth Size Food Pan
Pieces per Carton : 36

Model	Dimension (L x W x D) (mm)
FP 1/6-2.5	176 x 162 x 65
FP 1/6-4	176 x 162 x 100
FP 1/6-6	176 x 162 x 150

Ninth Size Food Pan
Pieces per Carton : 48

Model	Dimension (L x W x D) (mm)
FP 1/9-2.5	176 x 108 x 65
FP 1/9-4	176 x 108 x 100
FP 1/9-6	176 x 108 x 150

Stainless Steel Foodpan Cover

Model	FP11C	FP12C	FP13C	FP14C	FP16C	FP19C
Size	Full	Half	Third	Quarter	Sixth	Ninth
Pieces per Carton	6	12	18	24	36	48

Stainless Steel Cake Pan

Model	Dimension (L x W x D) (mm)
CP 1120	530 x 325 x 20
CP 2120	650 x 530 x 20

Baffle Grease Filter Without Hanger

Model	Material	Dimension (L x W x D) (mm)	Pieces Per Carton
AL-BF	Aluminium	495 x 495 x 48	6
SS-BF	Stainless Steel	495 x 495 x 48	6

Stainless Steel Swing

MODEL	DIMENSION (L x W x H) (mm)
SP:S	1270 x 1092 x 1397

Stainless Steel Kennel

MODEL	DIMENSION (L x W x H) (mm)
SSDC3	970 x 660 x 850
SSDC4	1270 x 970 x 1300
SSDC5	1580 x 1270 x 1500

Stainless Steel Kennel c/w Roof

MODEL	DIMENSION (L x W x H) (mm)
SSDC4R	1520 x 1220 x 1400
SSDC5R	1980 x 1520 x 1680

Stainless Steel Menu Stand

MODEL	DIMENSION (L x W x H) (mm)
SP:MS(S)	457 x 432 x 1270
SP:MS(L)	457 x 432 x 1473

Stainless Steel Mail Box

(Hanging Type)

MODEL		DIMENSION (L x W x H) (mm)
SP:MB-HT(L)	(Left)	203 x 127 x 305
SP:MB-HT(R)	(Right)	203 x 127 x 305

(Inside Pillar Type)

MODEL		DIMENSION (L x W x H) (mm)
SP:MBL1(L)	(Left)	305 x 254 x 229
SP:MBR1(R)	(Right)	305 x 254 x 229

Stainless Steel Table and Chair

MODEL	DISCRIPTION	DIMENSION (L x W x H) (mm)
SP:ST(SS)	Stainless Steel Table	1130 x 720 x 760
SP:C	Stainless Steel Chair	450 x 570 x 780

Granite Rectangular Table

Black Galaxy (BG)

Imperial Red (IR)

MODEL	COLOUR	DIMENSION (L x W x H)(mm)
SP:GT(BG)	Black Galaxy	1220 x 710 x 760
SP:GT(IR)	Imperial Red	1220 x 710 x 760

Juice Dispenser

Jet System

By electromagnetic pump (Suitable for most beverages, such as syrup, water, premixed drinks from concentrate or powder.



JD 118 JET JD 218 JET JD 318 JET

Colour Selection: Blue(B), Orange(O), Normal(N), Pink(P), Yellow(Y)

Model	# Bowls	Bowl Capacity (Litres)	Compressor (HP) (W)	Amps (A)	Prodcut Dimensions (L x W x H) (mm)	Packing Dimensions (L x W x H) (mm)	Ship wt. kg	Ecologic Refrigerant	Weight (kg)	Unit / 20ft Container
230V / 50Hz										
JD 118 Jet 25	1	18.9	1/6 (130)	3.2	210 x 356 x 710	250 x 480 x 750	24	R134a	24	324
JD 218 Jet 25	2	18.9	1/4 (190)	3.8	410 x 356 x 710	460 x 480 x 750	31	R134a	31	180
JD 318 Jet 25	3	18.9	1/3 (250)	4.6	610 x 356 x 710	640 x 480 x 750	36	R134a	36	108
230V / 60Hz										
JD 118 Jet 26	1	18.9	1/4 (190)	3.2	210 x 356 x 710	250 x 480 x 750	24	R134a	24	324
JD 218 Jet 26	2	18.9	1/3 (250)	3.8	410 x 356 x 710	460 x 480 x 750	31	R134a	31	180
JD 318 Jet 26	3	18.9	3/8 (285)	4.6	610 x 356 x 710	640 x 480 x 750	36	R134a	36	108

Mix System

By paddles (Suitable for iced tea, iced coffee, natural juices or foamed beverages)



JD 118 MIX JD 218 MIX JD 318 MIX

Colour Selection: Blue(B), Orange(O), Normal(N), Pink(P), Yellow(Y)

Model	# Bowls	Bowl Capacity (Litres)	Compressor (HP) (W)	Amps (A)	Product Dimension (L x W x H) (mm)	Packing Dimensions (L x W x H) (mm)	Ship wt. kg	Ecological Refrigerant	Weight (kg)	Unit / 20ft Container
230V / 50Hz										
JD 118 Mix 25	1	18.9	1/6 (130)	2.8	210 x 356 x 710	250 x 480 x 750	24	R134a	24	324
JD 218 Mix 25	2	18.9	1/4 (190)	3.5	410 x 356 x 710	460 x 480 x 750	31	R134a	31	180
JD 318 Mix 25	3	18.9	1/3 (250)	4.0	610 x 356 x 710	640 x 480 x 750	36	R134a	36	108
230V / 60Hz										
JD 118 Mix 26	1	18.9	1/4 (190)	2.8	210 x 356 x 710	250 x 480 x 750	24	R134a	24	324
JD 218 Mix 26	2	18.9	1/3 (250)	3.5	410 x 356 x 710	460 x 480 x 750	31	R134a	31	180
JD 318 Mix 26	3	18.9	3/8 (285)	4.0	610 x 356 x 710	640 x 480 x 750	36	R134a	36	108