

Quality Commercial Kitchen Equipment



BERJAYA®

Quality Variety Reliability

**2018
Edition**

INDEX

Page	
1	Soup Kettle / Commercial Electrical Rice Warmer / Commercial Electrical Rice Cooker / Commercial Gas Rice Cooker Chaffing Dish / Oblong Round Chaffing Dish With Full Roll Top Cover Oblong Chaffing Dish With Show Window / Round Chaffing Dish With Show Window Round Chaffing Dish With Full Top Cover
2	Stainless Steel Chaffing Dish With Lid Knob / Stainless Steel Insert Soup Kettle Stainless Steel Vegetable Pan & Cover / Stainless Steel Perforated Food Pan
3	Decantor / Coffee Warmer (Cast Iron Heat Board) ~1 Boiler / Coffee Warmer (Cast Iron Heated Board) Coffee Warmer ~ 2 Warmer / Warmer / Hot Dog Warmer with Cover / Electrical Deep Fryer ~ 4.0L Electrical Deep Fryer ~ 3.5L x 2 / Stainless Steel Gas Deep Fryer Single / Stainless Steel Gas Deep Fryer Double / Waffle Baker ~ 1 Head / Waffle Baker ~ 2 Heads
4	Ice Shaver (Coarse) c/w Ice Tray / Ice Shaving Machine / Commercial Blender ~Without Cover Commercial Blender ~With Cover / Juice Extractor with Pulp Container ~ 65kg Juice Dispenser ~ 2 Tanks / Buffet Juice Dispenser / Chocolate Fountain
5	Hot & Cold Water Dispenser / Cold Water Dispenser / Salad Showcase / Sushi Showcase Display Cooler / Display Warmer / Electrical Plate Warmer ~ 1 Head / Electrical Plate Warmer ~ 2 Heads
6	Insect Trap With Cover / Insect Trap / Insect Killer Pop Corn Machine / Pre-Rinse Spray Faucet / Vegetable Preparation Machine Noodle Machine / Sugar Cane Juice Machine ~ Free Standing / Sugar Cane Juice Machine ~ Table Top
7	Water Boiler - Electrical Water Boiler with PU Insulation ~ Electrical (Single Phase/Three Phase)
8	Spiral Mixer ~ 1/2 Speed (Manual Control) / Spiral Mixer ~ 2 Speed (Digital Control)
9	Bakery Mixer 5/7/10/20/30/40 litre without Netting
10	Bakery Mixer 5/7/10/20/30/40/60 litre with Netting
11	Infra Red Electrical Baking Oven ~ 1/2/3 Deck
12	Gas Heated Baking Oven ~ 1/2/3 Deck
13	Electrical Baking Oven / 1 Deck Gas Baking Oven + 12 Pans Proofer 2 Decks Gas Baking Oven + 8 Pans Proofer / 2 Decks Electrical Baking Oven + 8/16 Pans Proofer
14	Stainless Steel Single / Double Door Proofer with Humidifier Dough Divider / Semi Auto Dough Divider Rounder / Dough Moulder / Dough Sheeter
15	Pizza Oven / Toaster ~ 4/6 Slots / Electrical Conveyor Toaster Bread Slicer / Convection Oven ~ Without Steamer
16	Meat Slicer / Meat Mincer / Feather Removal Machine Potato & Vegetable Peeler / Bone Saw
17	Four Glass Display Chiller / Display Chiller (Piping System) / Display Chiller (Blower System) Single Door Back Bar Cooler / Double Door Back Bar Cooler
18	Ice Cream Machine / SIMAG Ice Machine * Inclusive Ice Bin / Commercial Automatic Dish Washer
19	Stainless Steel Ashtray Bin ~ Perforated Cover Stainless Steel Square Ashtray Bin ~ Perforated Cover / Flip Cover / Stainless Steel BBQ Stainless Steel Baby Chair / Stainless Steel Round Service Trolley Stainless Steel Rectangular Service Trolley (Knock Down) Stainless Steel Seasoning Trolley (Knock Down) ~ 8 Compartments Stainless Steel Dining Trolley (Knock Down) ~ 2/3 Tier Dining Trolley / Dish Collection Trolley
20	3 Tier Dinning Trolley (Knock Down) / Cutlery Trolley (Knock Down) Stainless Steel Cooling Rack - (Knock Down) / Wire Shelving
21	Stainless Steel Rectangular Table / Granite Rectangular Table / Fibreglass Square Metal Table Fibreglass Rectangular Metal Table / Fibreglass Metal Chair (Seat 15") Stainless Steel Chair / Plastic Chair



Soup Kettle

Model	BJY-9SK
Capacity (Litres)	9.0
Voltage / Phase (VPh)	220-240 / 1
Frequency (Hz)	50 / 60
Machine Dimension (mm)	360Ø x 370
Packing Dimension (mm)	380 x 380 x 420
Weight (Kg)	8.5



Soup Kettle

Model	BJY-11SK-BK
Capacity (Litres)	11
Voltage / Phase (VPh)	220-240 / 1
Frequency (Hz)	50 / 60
Machine Dimension (mm)	315Ø x 355
Packing Dimension (mm)	350 x 350 x 355
Weight (Kg)	6

* Stainless Steel Body with Coating Black



Soup Kettle

Model	BJY-11SK-SS
Capacity (Litres)	11
Voltage / Phase (VPh)	220-240 / 1
Frequency (Hz)	50 / 60
Machine Dimension (mm)	315Ø x 355
Packing Dimension (mm)	350 x 350 x 355
Weight (Kg)	6

* Stainless Steel Body with Satin Polishing



Commercial Electrical Rice Warmer

Model	BJY-ERW13
Capacity (Litres)	13
Voltage / Phase (VPh)	220-240 / 1
Frequency (Hz)	50 / 60
Machine Dimension (mm)	455Ø x 355
Packing Dimension (mm)	455 x 455 x 410
Weight (Kg)	9.5
Gross Weight (Kg)	12

* Stain with coating



Commercial Electrical Rice Cooker

Model	BJY-ERC64-N
Capacity (Litres)	8.0 (45 persons)
Voltage / Phase (VPh)	220-240 / 1
Frequency (Hz)	50 / 60
Power (W)	2650
Machine Dimension (mm)	460 x 505 x 380
Packing Dimension (mm)	490 x 490 x 325
Weight (Kg)	10.2



Commercial Gas Rice Cooker

Model	BJY-GRC40
Capacity (Litres)	6 (30-40 persons)
Gas	LPG
Rated Heat (Kw)	5.7
Rated Gas Pressure (Kpa)	2.8
Machine Dimension (mm)	460Ø x 420
Packing Dimension (mm)	485 x 485 x 440
Weight (Kg)	10.8



Commercial Gas Rice Cooker

Model	BJY-GRC60
Capacity (Litres)	10 (50-60 persons)
Gas	LPG
Rated Heat (Kw)	8.7
Rated Gas Pressure (Kpa)	2.8
Machine Dimension (mm)	550Ø x 450
Packing Dimension (mm)	515 x 515 x 430
Weight (Kg)	13.9



Chaffing Dish

Model	BJY-CD
Machine Dimension (mm)	575 x 350 x 330
Packing Dimension (mm)	580 x 360 x 170

*with 1 full size G/N pan



Oblong Round Chaffing Dish With Full Roll Top Cover

Model	BJY-RTCD-O
Capacity (Litres)	9
Machine Dimension (mm)	625 x 490 x 400
Packing Dimension (mm)	730 x 490 x 340



Oblong Chaffing Dish With Show Window

Model	BJY-OCD
Machine Dimension (mm)	660 x 480 x 420



Round Chaffing Dish With Show Window

Model	BJY-RCD
Machine Dimension (mm)	567 x 567 x 444



Round Chaffing Dish With Full Top Cover

Model	BJY-RTCD-R
Capacity (Litres)	6
Machine Dimension (mm)	540 x 485 x 490
Packing Dimension (mm)	530 x 530 x 350



Stainless Steel Chaffing Dish With Lid Knob

Model **BJJ-CD35**
Capacity (Litres) 3.5
Machine Dimension (mm) 420 x 340 x 300
Packing Dimension (mm) 360 x 360 x 240



Stainless Steel Chaffing Dish With Lid Knob

Model **BJJ-CD50**
Capacity (Litres) 5
Machine Dimension (mm) 420 x 340 x 300
Packing Dimension (mm) 360 x 360 x 260



Stainless Steel Chaffing Dish With Lid Knob

Model **BJJ-CD75**
Capacity (Litres) 7.5
Machine Dimension (mm) 420 x 340 x 330
Packing Dimension (mm) 360 x 360 x 280



Stainless Steel Chaffing Dish With Lid Knob

Model **BJJ-CD135**
Capacity (Litres) 13.5
Machine Dimension (mm) 420 x 340 x 400
Packing Dimension (mm) 360 x 360 x 370



Stainless Steel Insert Soup Kettle

Model **BJJ-PSK7**
Capacity (Litres) 7
Machine Dimension (mm) 310 x 240 x 340
Packing Dimension (mm) 260 x 260 x 360



Stainless Steel Insert Soup Kettle

Model **BJJ-PSK11**
Capacity (Litres) 11
Machine Dimension (mm) 360 x 290 x 350
Packing Dimension (mm) 300 x 300 x 360



Stainless Steel Vegetable Pan & Cover

Model **BJJ-VIP4**
Capacity (Litres) 4
Pan Dimension (mm) 190 x 190 x 215
Packing Dimension (mm) 390 x 390 x 460
Packing (Pcs) 24
Model **BJJ-VIC4**
Capacity (Litres) -
Pan Dimension (mm) 190 x 190
Packing Dimension (mm) 400 x 210 x 210
Packing (Pcs) 24



Stainless Steel Vegetable Pan & Cover

Model **BJJ-VIP7**
Capacity (Litres) 7
Pan Dimension (mm) 240 x 240 x 215
Packing Dimension (mm) 490 x 490 x 520
Packing (Pcs) 24
Model **BJJ-VIC7**
Capacity (Litres) -
Pan Dimension (mm) 240 x 240
Packing Dimension (mm) 500 x 260 x 210
Packing (Pcs) 24



Stainless Steel Vegetable Pan & Cover

Model **BJJ-VIP11**
Capacity (Litres) 11
Pan Dimension (mm) 290 x 290 x 215
Packing Dimension (mm) 290 x 590 x 530
Packing (Pcs) 24
Model **BJJ-VIC11**
Capacity (Litres) -
Pan Dimension (mm) 290 x 290
Packing Dimension (mm) 600 x 310 x 210
Packing (Pcs) 24



Stainless Steel Perforated Food Pan

Model **BJJ-FP1/1-2**
Pan Dimension (mm) 530 x 325 x 65
Packing (Pcs) 6

Model **BJJ-FP1/2-2**
Pan Dimension (mm) 325 x 264 x 65
Packing (Pcs) 12



Stainless Steel Perforated Food Pan

Model **BJJ-FP1/1-4**
Pan Dimension (mm) 530 x 325 x 100
Packing (Pcs) 6

Model **BJJ-FP1/2-4**
Pan Dimension (mm) 325 x 265 x 100
Packing (Pcs) 12



Stainless Steel Perforated Food Pan

Model **BJJ-FP1/1-6**
Pan Dimension (mm) 530 x 325 x 150
Packing (Pcs) 6

Model **BJJ-FP1/2-6**
Pan Dimension (mm) 325 x 265 x 150
Packing (Pcs) 12



Decantor

Model **DI-N**



Coffee Warmer (Cast Iron Heat Board) ~1 Boiler

Model **BJY-CW1**
Voltage / Phase (V/Ph) 220 - 240 / 1
Frequency (Hz) 50 / 60
Wattage (W) 450
Dimension (mm) 223 x 223 x 60

* Without Decantor



Coffee Warmer (Cast Iron Heated Board)

Model **BJY-CW2**
Voltage / Phase (V/Ph) 220 - 240 / 1
Frequency (Hz) 50 / 60
Wattage (W) 600
Dimension (mm) 446 x 223 x 60

* Without Decantor



Coffee Warmer ~ 2 Warmer

Model **BJY-CW2W**
Rated Input Power (W) 300W
Voltage / Frequency (V/Hz) 220-240 / 50 / 60
Frequency (Hz) 50 / 60
N.W. (Kg) 1.41
G.W. (Kg) 1.66
Overall Dimension (mm) 350 x 170 x 80
Package Dimension (mm) 390 x 200 x 85

* Without Decantor



Warmer

Model **BJY-W77**
Voltage / Phase (V/Ph) 220 - 240 / 1
Frequency (Hz) 50 / 60
Wattage (W) 1200
Dimension (mm) 570 x 370 x 230



Hot Dog Warmer with Cover

Model **BJY-HD07-N**
Roller Number 7
Voltage / Phase (V/Ph) 220 - 240 / 1
Frequency (Hz) 50
Wattage (W) 1580
Machine Dimension (mm) 590 x 330 x 260
Packing Dimension (mm) 620 x 390 x 460
Weight (Kg) 15



Electrical Deep Fryer ~4.0L

Model **BJY-EDF4**
Voltage / Phase (V/Ph) 220 - 240 / 1
Frequency (Hz) 50 / 60
Wattage (W) 2000
Machine Dimension (mm) 380 x 210 x 250
Packing Dimension (mm) 500 x 430 x 270
Weight (Kg) 7.2



Electrical Deep Fryer ~ 3.5L x 2

Model **BJY-EDDF35**
Voltage / Phase (V/Ph) 220 - 240 / 1
Frequency (Hz) 50 / 60
Wattage (W) 2000 x 2
Machine Dimension (mm) 410 x 350 x 250
Packing Dimension (mm) 420 x 350 x 250
Weight (Kg) 6.5



Stainless Steel Gas Deep Fryer Single

Model **BJY-GDF55-1B**
Product Dimension (mm) 300 x 510 x 470
Packing Dimension (mm) 570 x 370 x 600
Basket Dimension (mm) 220 x 195 x 120
Weight (kg) 9.5
Thawad Chips Production(kg / Hr) 0.13
Packing Volume (m3) 0.1m3/h
Rate of gas flow 0.1m3/h
Guel Value 19MJ



Stainless Steel Gas Deep Fryer Double

Model **BJY-GDF55-2B**
Product Dimension (mm) 580 x 510 x 470
Packing Dimension (mm) 660 x 560 x 600
Basket Dimension (mm) 220 x 195 x 120
Weight (kg) 14.5
Thawad Chips Production (kg / Hr) 0.23
Packing Volume (m3) 0.21m3/h
Rate of gas flow 0.21m3/h
Guel Value 38MJ



Waffle Baker ~ 1 Head

Model **BJY-WB1-N**
Temperature (°C) 50~300
Wattage (W) 1000
Voltage / Phase (V/Ph) 220~240 / 1
Frequency (Hz) 50 / 60
Machine Dimension (mm) 260 x 252 x 240
Packing Dimension (mm) 400 x 300 x 270
Weight (Kg) 7.4



Waffle Baker ~ 2 Heads

Model **BJY-WB2-N**
Temperature (°C) 50~300
Wattage (W) 2000
Voltage / Phase (V/Ph) 220~240 / 1
Frequency (Hz) 50 / 60
Machine Dimension (mm) 500 x 360 x 240
Packing Dimension (mm) 550 x 410 x 270
Weight (Kg) 15



Ice Shaver (Coarse) c/w Ice Tray

Model	BJY-ISC7A
Extraction Capacity (Kg/hr)	7
Speed (R/min)	3000
Wattage (W)	250
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Machine Dimension (mm)	420 x 175 x 270
Packing Dimension (mm)	470 x 250 x 310
Weight (Kg)	10.2



Ice Shaving Machine

Model	BJY-IS 18
Extraction Capacity (Kg/hr)	18
Speed (R/min)	1400
Wattage (W)	250
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Machine Dimension (mm)	350 x 290 x 430
Packing Dimension (mm)	420 x 340 x 900
Weight (Kg)	20



Commercial Blender ~Without Cover

Model	BJY-CB2L-A
Capacity-Gross (Kg/hr)	2L
Rotation Rate (rpm)	40,000
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Wattage (W)	1800
Net weight (kg)	4.65
Gross Weight (kg)	4.90
Machine Dimension (mm)	190 x 220 x 480
Packing Dimension (mm)	308 x 255 x 355

Model	BJY-CB2L60-A
Capacity-Gross (Kg/hr)	2L
Rotation Rate (rpm)	40,000
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	60
Wattage (W)	1800
Net weight (kg)	4.65
Gross Weight (kg)	4.90
Machine Dimension (mm)	190 x 220 x 480
Packing Dimension (mm)	308 x 255 x 355



Commercial Blender ~With Cover

Model	BJY-CB2SC-A
Capacity-Gross (Kg/hr)	2L
Rotation Rate (rpm)	25,000-28,000
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Wattage (W)	1500
Net weight (kg)	9
Gross Weight (kg)	9.8
Machine Dimension (mm)	235 x 270 x 520
Packing Dimension (mm)	365 x 305 x 595

Model	BJY-CB2SC60-A
Capacity-Gross (Kg/hr)	2L
Rotation Rate (rpm)	25,000-28,000
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	60
Wattage (W)	1500
Net weight (kg)	9
Gross Weight (kg)	9.8
Machine Dimension (mm)	235 x 270 x 520
Packing Dimension (mm)	365 x 305 x 595



Juice Extractor with Pulp Container ~ 65kg

Model	BJY-JE65C
Extraction Capacity (Kg/hr)	65
Speed (R/min)	4300
Voltage / Frequency (V/Hz)	220-240 / 50
Wattage (W)	180
Machine Dimension (mm)	358 x 220 x 300
Packing Dimension (mm)	425 x 335 x 275
Weight (Kg)	7

Model	BJY-JE65C60
Extraction Capacity (Kg/hr)	65
Speed (R/min)	4300
Voltage / Frequency (V/Hz)	220-240 / 60
Wattage (W)	180
Machine Dimension (mm)	358 x 220 x 300
Packing Dimension (mm)	425 x 335 x 275
Weight (Kg)	7



Juice Dispenser ~ 2 Tanks

Model	BJY-JD5.5LX2
Capacity (Litres)	5.5
Machine Dimension (mm)	316 x 348 x 580
Packing Dimension (mm)	375 x 360 x 630
Weight (Kg)	10



Buffet Juice Dispenser

Model	BJY-BJD1
Capacity (Litres)	8
Machine Dimension (mm)	270 x 360 x 590
Packing Dimension (mm)	580 x 360 x 590
Weight (Kg)	7.6

Model	BJY-BJD2
Capacity (Litres)	2 x 8
Machine Dimension (mm)	580 x 360 x 590
Packing Dimension (mm)	600 x 370 x 610
Weight (Kg)	15.2



Chocolate Fountain

Model	BJY-CF2K/S
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Power (W)	220
Capacity (kg)	2 (1.8L)
Machine Dimension (mm)	228 x 228 x 536
Packing Dimension (mm)	365 x 270 x 358
Weight (Kg)	4.5



Hot & Cold Water Dispenser

Model	BJY-YLR600A
Capacity	
: Hot water tank (Litres)	4
: Cold water tank (Litres)	4
Heating Water Capacity	10L/h (85°C~95°C)
Cooling Water Capacity	8L/h (7°C~12°C)
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50
Wattage (W)	1000
Pressure of Water Supply	0.05mpa-0.5mpa
Machine Dimension (mm)	410 x 300 x 1250
Packing Dimension (mm)	490 x 370 x 1150
Weight (Kg)	26

* Hot water, Cold water, Warm water
 * It can remove the impurity, special smell chemical, virus, etc and make the water pure



Cold Water Dispenser

Model	BJY-CWD6.6L
Voltage / Phase (V/Ph)	220~240 / 1
Frequency (Hz)	50
Wattage (W)	300
Rated Capacity	6.6
Rated Enter The Water Pressure	<300
Rated Working Pressure	0 Pa
Degree of Protection	IPX0
Machine Dimension (mm)	350 x 420 x 1110
Packing Dimension (mm)	480 x 370 x 1150
Weight (Kg)	26



Salad Showcase

Model	BJY-SALAD1200
Temperature °C (Celsius)	+2 to +10
External Dimension (mm)	1200 x 335 x 225
Packing Dimension (mm)	1275 x 410 x 330
Capacity (L)	5 x 1/4 GN
Refrigerant	R134a
Voltage / Frequency (V / Hz)	220~240 / 50
Wattage (W)	140
Ampere (A)	1.1
Rated Input Power (W)	140/110
Net Weight (kg)	35
Unit for 20ft Container	154
Unit for 40ft Container	315



Sushi Showcase

Model	BJY-SUSHI132
Temperature °C (Celsius)	0 to +12
External Dimension (mm)	1800 x 420 x 265
Packing Dimension (mm)	1800 x 510 x 360
Capacity (L)	5 x 1/2 GN
Refrigerant	R134a
Voltage / Frequency (V / Hz)	220~240 / 50
Wattage (W)	140
Ampere (A)	1.1
Rated Input Power (W)	164/193
Net Weight (kg)	45
Unit for 20ft Container	78
Unit for 40ft Container	162



Display Cooler

Model	BJY-DC-120L
Temperature °C (Celsius)	0 to +12
External Dimension (mm)	696 x 568 x 686
Packing Dimension (mm)	773 x 627 x 735
Capacity (L)	120
Refrigerant	R134a
Voltage / Frequency (V / Hz)	220~240 / 50
Wattage (W)	230
Ampere (A)	1.5
Rated Input Power (W)	230/160
Net Weight (kg)	64

* Double glass without heated

Model	BJY-DC-160L
Temperature °C (Celsius)	0 to +12
External Dimension (mm)	874 x 568 x 686
Packing Dimension (mm)	951 x 627 x 735
Capacity (L)	160
Refrigerant	R134a
Voltage / Frequency (V / Hz)	220~240 / 50
Wattage (W)	230
Ampere (A)	1.5
Rated Input Power (W)	230/160
Net Weight (kg)	71



Display Warmer

Model	BJY-PW-120L
Temperature °C (Celsius)	30 - 90
External Dimension (mm)	678 x 568 x 670
Packing Dimension (mm)	749 x 627 x 731
Capacity (L)	120
Voltage / Frequency (V / Hz)	220~240 / 50
Ampere (A)	4.75
Rated Input Power (W)	1100
Net Weight (kg)	48

Model	BJY-PW-160L
Temperature °C (Celsius)	30 - 90
External Dimension (mm)	857 x 568 x 670
Packing Dimension (mm)	928 x 627 x 731
Capacity (L)	160
Voltage / Frequency (V / Hz)	220~240 / 50
Ampere (A)	6.30
Rated Input Power (W)	1500
Net Weight (kg)	56



Electrical Plate Warmer ~ 1 Head

Model	BJY-EDW1
Dish Size (mm)	240 -310
No. of Plate (pcs)	30
Wattage (W)	450
Voltage / Phase (V/Ph)	220~240 / 1
Frequency (Hz)	50 / 60
Machine Dimension (mm)	450 x 450 x 930
Packing Dimension (mm)	610 x 540 x 1180
Weight (Kg)	48



Electrical Plate Warmer ~ 2 Heads

Model	BJY-EDW2
Dish Size (mm)	240 -310
No. of Plate (pcs)	60
Wattage (W)	900
Voltage / Phase (V/Ph)	220~240 / 1
Frequency (Hz)	50 / 60
Machine Dimension (mm)	880 x 450 x 930
Packing Dimension (mm)	1145 x 540 x 1180
Weight (Kg)	78




Insect Trap with Cover

Model	BJY-IT-18C
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency (Hz)	50
Wattage (W)	18
Coverage Area (Meters)	40
Machine Dimension (mm)	360 x 190 x 155
Package Dimension (mm)	400 x 210 x 200
N.W. (Kg)	3.0
G.W. (Kg)	3.5
Model	BJY-IT-36C
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency	50
Wattage (W)	36
Coverage Area (Meters)	60
Machine Dimension (mm)	590 x 190 x 155
Package Dimension (mm)	600 x 225 x 230
N.W. (Kg)	4.5
G.W. (Kg)	5.5




Insect Trap

Model	BJY-IT-18A
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency (Hz)	50
Wattage (W)	18
Coverage Area (Meters)	40
Machine Dimension (mm)	458 x 118 x 148
Package Dimension (mm)	510 x 230 x 215
N.W. (Kg)	2.5
G.W. (Kg)	3.0
Model	BJY-IT-36A
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency	50
Wattage (W)	36
Coverage Area (Meters)	60
Machine Dimension (mm)	692 x 193 x 142
Package Dimension (mm)	760 x 235 x 215
N.W. (Kg)	4.0
G.W. (Kg)	4.5



Insect Killer

Model	BJY-IK30A
Description	Insect Killer
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency	50Hz
Fluorescent Lamp (W)	15w
Coverage Area (Meters)	80m ²
Machine Dimension (mm)	475 x 105 x 325
Package Dimension (mm)	505 x 120 x 335
N.W. (Kg)	2.1
G.W. (Kg)	2.2



Insect Killer

Model	BJY-IK40A
Description	Insect Killer
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency	50Hz
Fluorescent Lamp (W)	20w
Coverage Area (Meters)	100m ²
Machine Dimension (mm)	650 x 105 x 365
Package Dimension (mm)	655 x 120 x 390
N.W. (Kg)	2.4
G.W. (Kg)	2.5



Pop Corn Machine

Model	BJY-PC80Z
Voltage/Phase (V/Ph)	220 - 240V / 1
Frequency (Hz)	50 / 60
Wattage (W)	1300
Machine Dimension (mm)	560 x 420 x 680
Packing Dimension (mm)	640 x 500 x 780
Weight (Kg)	21

* Tempered glass for safety
* Individual switch control
* Infra-red lamp
* Easy to remove drip pan



Pre-Rinse Spray Faucet

Model	BJY-PRS
Material	Brass (Plastic)
Packing Dimension (mm)	681 x 300 x 94
Weight (Kg)	5.45



Vegetable Preparation Machine

Model	BJY-VPM
Wattage (W)	550
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency (Hz)	50
Machine Dimension (mm)	595 x 250 x 570
Packing Dimension (mm)	580 x 300 x 540
Weight (Kg)	26



Noodle Machine

Model	BJY-NM26
Wattage (kw)	1.1
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency (Hz)	50
Machine Dimension (mm)	470 x 420 x 855
Packing Dimension (mm)	500 x 450 x 980
Weight (Kg)	86
Model	BJY-NM32
Wattage (kw)	1.5
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency (Hz)	50
Machine Dimension (mm)	510 x 410 x 855
Packing Dimension (mm)	540 x 450 x 980
Weight (Kg)	94



Sugar Cane Juice Machine ~ Free Standing

Model	BJY-SCJM-FS
Power (kw)	0.37
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency (Hz)	50
Working Capacity (kg / h)	300
Roller Speed (r / min)	20
Waterproof Grade	TP x 3
Machine Dimension (mm)	460 x 360 x 1000
Packing Dimension (mm)	540 x 440 x 920
Weight (Kg)	95



Sugar Cane Juice Machine ~ Table Top

Model	BJY-SCJM-TT
Power (kw)	0.37
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency (Hz)	50
Working Capacity (kg / h)	300
Roller Speed (r / min)	20
Waterproof Grade	TP x 3
Machine Dimension (mm)	405 x 305 x 565
Packing Dimension (mm)	540 x 430 x 670
Weight (Kg)	71.5



Water Boiler - Electrical

Model	BJY- WB23
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	3000
Current (A)	13.6
Capacity (Litres)	21
Machine Dimension (mm)	410 x 295 x 680
Packing Dimension (mm)	495 x 425 x 735
Weight (Kg)	10



Water Boiler - Electrical

Model	BJY- WB40
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	3000
Current (A)	13.6
Capacity (Litres)	26
Machine Dimension (mm)	410 x 295 x 780
Packing Dimension (mm)	490 x 435 x 830
Weight (Kg)	12



Water Boiler - Electrical

Model	BJY- WB60
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	6000
Current (A)	27.8
Capacity (Litres)	42
Machine Dimension (mm)	520 x 295 x 840
Packing Dimension (mm)	600 x 435 x 900
Weight (Kg)	15

* Isolator 35A/1 phase required



Water Boiler - Electrical

Model	BJY- WB80
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	6000
Current (A)	27.8
Capacity (Litres)	50
Machine Dimension (mm)	520 x 295 x 940
Packing Dimension (mm)	580 x 430 x 1010
Weight (Kg)	16

* Isolator 35A/1 phase required



Water Boiler with PU Insulation ~ Electrical

Model	BJY-WBPU40
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	3000
Current (A)	13.6
Capacity (Litres)	32
Machine Dimension (mm)	420 x 365 x 820
Packing Dimension (mm)	475 x 410 x 900
Weight (Kg)	13.2



Water Boiler with PU Insulation ~ Electrical

(Single Phase/Three Phase)

Model	BJY-WBPU60
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	6000
Current (A)	27.8
Capacity (Litres)	48
Machine Dimension (mm)	525 x 365 x 820
Packing Dimension (mm)	590 x 420 x 900
Weight (Kg)	16.5

*Single Phase - Isolator 35A/1 phase required



Water Boiler with PU Insulation ~ Electrical

(Single Phase/Three Phase)

Model	BJY-WBPU80
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	6000
Current (A)	27.8
Capacity (Litres)	64
Machine Dimension (mm)	525 x 365 x 980
Packing Dimension (mm)	590 x 415 x 1070
Weight (Kg)	18

*Single Phase - Isolator 35A/1 phase required



Spiral Mixer ~ 1 Speed (Manual Control)

Model	BJY-SM30M
Bowl Capacity (Litres)	28
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Input Power (W)	1700
Mixing Speed (R/min)	230
Bowl Speed (R/min)	20
Max Dough Capacity (Kg)	12.5*
Machine Dimension (mm)	730 x 450 x 850
Packing Dimension (mm)	920 x 560 x 1030
Weight (Kg)	167

Model	BJY-SM30M60
Bowl Capacity (Litres)	28
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	60
Input Power (W)	1700
Mixing Speed (R/min)	230
Bowl Speed (R/min)	20
Max Dough Capacity (Kg)	12.5*
Machine Dimension (mm)	730 x 450 x 850
Packing Dimension (mm)	920 x 560 x 1030
Weight (Kg)	167

* 12.5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Spiral Mixer ~ 2 Speed (Manual Control)

Model	BJY-SM40M
Bowl Capacity (Litres)	45
Voltage/Phase (V/Ph)	380-415 / 3
Frequency (Hz)	50
Input Power (W)	1200 / 1800
Mixing Speed (R/min)	240 / 120
Bowl Speed (R/min)	24/12
Max Dough Capacity (Kg)	20*
Machine Dimension (mm)	900 x 500 x 1200
Packing Dimension (mm)	1010 x 580 x 1300
Weight (Kg)	256

Model	BJY-SM40M60
Bowl Capacity (Litres)	45
Voltage/Phase (V/Ph)	380-415 / 3
Frequency (Hz)	60
Input Power (W)	1200 / 1800
Mixing Speed (R/min)	240 / 120
Bowl Speed (R/min)	24/12
Max Dough Capacity (Kg)	20*
Machine Dimension (mm)	900 x 500 x 1200
Packing Dimension (mm)	1010 x 580 x 1300
Weight (Kg)	256

* 20kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Spiral Mixer ~ 2 Speed (Manual Control)

Model	BJY-SM50M
Bowl Capacity (Litres)	66
Voltage/Phase (V/Ph)	380-415 / 3
Frequency (Hz)	50
Input Power (W)	2800 / 3600
Mixing Speed (R/min)	240 / 120
Bowl Speed (R/min)	24/12
Max Dough Capacity (Kg)	25*
Machine Dimension (mm)	1000 x 600 x 1230
Packing Dimension (mm)	1120 x 710 x 1500
Weight (Kg)	275

Model	BJY-SM50M60
Bowl Capacity (Litres)	66
Voltage/Phase (V/Ph)	380-415 / 3
Frequency (Hz)	60
Input Power (W)	2800 / 3600
Mixing Speed (R/min)	240 / 120
Bowl Speed (R/min)	24/12
Max Dough Capacity (Kg)	25*
Machine Dimension (mm)	1000 x 600 x 1230
Packing Dimension (mm)	1120 x 710 x 1500
Weight (Kg)	275

* 25kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Spiral Mixer ~ 2 Speed (Digital Control)

Model	BJY-SM30D
Bowl Capacity (Litres)	28
Voltage/Phase (V/Ph)	380-415 / 3
Frequency (Hz)	50
Input Power (W)	1300/1700
Mixing Speed (R/min)	230/150
Bowl Speed (R/min)	20/13
Max Dough Capacity (Kg)	12.5*
Machine Dimension (mm)	850 x 430 x 940
Packing Dimension (mm)	910 x 550 x 1040
Weight (Kg)	167

Model	BJY-SM40D
Bowl Capacity (Litres)	45
Voltage/Phase (V/Ph)	380-415 / 3
Frequency (Hz)	50
Input Power (W)	1200/1800
Mixing Speed (R/min)	240/120
Bowl Speed (R/min)	24/12
Max Dough Capacity (Kg)	20*
Machine Dimension (mm)	930 x 490 x 1160
Packing Dimension (mm)	1110 x 590 x 1290
Weight (Kg)	256

* 12.5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Spiral Mixer ~ 2 Speed (Digital Control)

Model	BJY-SM50D
Bowl Capacity (Litres)	66
Voltage/Phase (V/Ph)	380-415 / 3
Frequency (Hz)	50
Input Power (W)	2800/3600
Mixing Speed (R/min)	240/120
Bowl Speed (R/min)	24/12
Max Dough Capacity (Kg)	25*
Machine Dimension (mm)	1020 x 590 x 1170
Packing Dimension (mm)	1110 x 640 x 1290
Weight (Kg)	275

* 25kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Bakery Mixer 5 litre without Netting

Model	BJY-BM5
Bowl Capacity (Litres)	5.5
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Input Power (W)	300
Speed (R/min)	(Whisk) 852 (Beater) 131
Max Dough Capacity (Kg)	0.5*
Machine Dimension (mm)	350 x 230 x 400
Packing Dimension (mm)	420 x 300 x 480
Weight (Kg)	24

* 0.5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.

Model	BJY-BM5-60
Bowl Capacity (Litres)	5.5
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	60
Input Power (W)	300
Speed (R/min)	(Whisk) 852 (Beater) 131
Max Dough Capacity (Kg)	0.5*
Machine Dimension (mm)	350 x 230 x 400
Packing Dimension (mm)	420 x 300 x 480
Weight (Kg)	24



Bakery Mixer 7 litre without Netting

Model	BJY-BM7
Bowl Capacity (Litres)	7.5
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Input Power (W)	325
Speed (R/min)	(Whisk) 917 (Beater) 147
Max Dough Capacity (Kg)	0.5*
Machine Dimension (mm)	400 x 250 x 410
Packing Dimension (mm)	480 x 300 x 500
Weight (Kg)	29

* 0.5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.

Model	BJY-BM7-60
Bowl Capacity (Litres)	7.5
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	60
Input Power (W)	325
Speed (R/min)	(Whisk) 917 (Beater) 147
Max Dough Capacity (Kg)	0.5*
Machine Dimension (mm)	400 x 250 x 410
Packing Dimension (mm)	480 x 300 x 500
Weight (Kg)	29



Bakery Mixer 10 litre without Netting

Model	BJY-BM10
Bowl Capacity (Litres)	10
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Input Power (W)	600
Speed (R/min)	(Whisk) 480 (Beater) 244 (Hook) 148
Max Dough Capacity (Kg)	2.5*
Machine Dimension (mm)	430 x 420 x 690
Packing Dimension (mm)	540 x 450 x 850
Weight (Kg)	42

* 2.5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.

Model	BJY-BM10-60
Bowl Capacity (Litres)	10
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Input Power (W)	600
Speed (R/min)	(Whisk) 508 (Beater) 258 (Hook) 156
Max Dough Capacity (Kg)	2.5*
Machine Dimension (mm)	430 x 420 x 690
Packing Dimension (mm)	540 x 450 x 850
Weight (Kg)	42



Bakery Mixer 20 litre without Netting

Model	BJY-BM20
Bowl Capacity (Litres)	20
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Input Power (W)	1100
Speed (R/min)	(Whisk) 462 (Beater) 317 (Hook) 197
Max Dough Capacity (Kg)	5*
Machine Dimension (mm)	530 x 460 x 880
Packing Dimension (mm)	610 x 500 x 1030
Weight (Kg)	68

* 5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.

Model	BJY-BM20-60
Bowl Capacity (Litres)	20
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	60
Input Power (W)	1100
Speed (R/min)	(Whisk) 548 (Beater) 376 (Hook) 208
Max Dough Capacity (Kg)	5*
Machine Dimension (mm)	530 x 460 x 880
Packing Dimension (mm)	610 x 500 x 1030
Weight (Kg)	68



Bakery Mixer 30 litre without Netting

Model	BJY-BM30
Bowl Capacity (Litres)	28
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Input Power (W)	1500
Speed (R/min)	(Whisk) 462 (Beater) 317 (Hook) 197
Max Dough Capacity (Kg)	6*
Machine Dimension (mm)	550 x 450 x 880
Packing Dimension (mm)	640 x 550 x 1030
Weight (Kg)	70

* 6kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.

Model	BJY-BM30-60
Bowl Capacity (Litres)	28
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	60
Input Power (W)	1500
Speed (R/min)	(Whisk) 548 (Beater) 376 (Hook) 208
Max Dough Capacity (Kg)	6*
Machine Dimension (mm)	550 x 450 x 880
Packing Dimension (mm)	640 x 550 x 1030
Weight (Kg)	70



Bakery Mixer 40 litre without Netting

Model	BJY-BM40
Bowl Capacity (Litres)	38
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Input Power (W)	2100
Speed (R/min)	(Whisk) 483 (Beater) 165 (Hook) 106
Max Dough Capacity (Kg)	8*
Machine Dimension (mm)	640 x 620 x 1040
Packing Dimension (mm)	830 x 730 x 1280
Weight (Kg)	160

* 8kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.

Model	BJY-BM40-60
Bowl Capacity (Litres)	38
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	60
Input Power (W)	2100
Speed (R/min)	(Whisk) 580 (Beater) 198 (Hook) 127
Max Dough Capacity (Kg)	8*
Machine Dimension (mm)	640 x 620 x 1040
Packing Dimension (mm)	830 x 730 x 1280
Weight (Kg)	160



Bakery Mixer 5 litre with Netting

Model	BJY-BM5N
Bowl Capacity (Litres)	5.5
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Input Power (W)	300
Speed (R/min)	(Whisk) 852 (Beater) 131
Max Dough Capacity (Kg)	0.5*
Machine Dimension (mm)	350 x 230 x 400
Packing Dimension (mm)	420 x 300 x 480
Weight (Kg)	24

Model	BJY-BM5N-60
Bowl Capacity (Litres)	5.5
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	60
Input Power (W)	300
Speed (R/min)	(Whisk) 852 (Beater) 131
Max Dough Capacity (Kg)	0.5*
Machine Dimension (mm)	350 x 230 x 400
Packing Dimension (mm)	420 x 300 x 480
Weight (Kg)	24

* 0.5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Bakery Mixer 7 litre with Netting

Model	BJY-BM7N
Bowl Capacity (Litres)	7.5
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Input Power (W)	325
Speed (R/min)	(Whisk) 917 (Beater) 147
Max Dough Capacity (Kg)	0.5*
Machine Dimension (mm)	400 x 250 x 410
Packing Dimension (mm)	480 x 300 x 500
Weight (Kg)	29

Model	BJY-BM7N-60
Bowl Capacity (Litres)	7.5
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	60
Input Power (W)	325
Speed (R/min)	(Whisk) 917 (Beater) 147
Max Dough Capacity (Kg)	0.5*
Machine Dimension (mm)	400 x 250 x 410
Packing Dimension (mm)	480 x 300 x 500
Weight (Kg)	29

* 0.5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Bakery Mixer 10 litre with Netting

Model	BJY-BM10N
Bowl Capacity (Litres)	10
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Input Power (W)	600
Speed (R/min)	(Whisk) 480 (Beater) 244 (Hook) 148
Max Dough Capacity (Kg)	2.5*
Machine Dimension (mm)	430 x 420 x 690
Packing Dimension (mm)	540 x 450 x 850
Weight (Kg)	42

Model	BJY-BM10N-60
Bowl Capacity (Litres)	10
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	60
Input Power (W)	600
Speed (R/min)	(Whisk) 508 (Beater) 258 (Hook) 156
Max Dough Capacity (Kg)	2.5*
Machine Dimension (mm)	430 x 420 x 690
Packing Dimension (mm)	540 x 450 x 850
Weight (Kg)	42

* 2.5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Bakery Mixer 20 litre with Netting

Model	BJY-BM20N
Bowl Capacity (Litres)	20
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Input Power (W)	1100
Speed (R/min)	(Whisk) 462 (Beater) 317 (Hook) 197
Max Dough Capacity (Kg)	5*
Machine Dimension (mm)	530 x 460 x 880
Packing Dimension (mm)	610 x 500 x 1030
Weight (Kg)	68

Model	BJY-BM20N60
Bowl Capacity (Litres)	20
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	60
Input Power (W)	1100
Speed (R/min)	(Whisk) 548 (Beater) 376 (Hook) 208
Max Dough Capacity (Kg)	5*
Machine Dimension (mm)	530 x 460 x 880
Packing Dimension (mm)	610 x 500 x 1030
Weight (Kg)	68

* 5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Bakery Mixer 30 litre with Netting

Model	BJY-BM30N
Bowl Capacity (Litres)	28
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Input Power (W)	1500
Speed (R/min)	(Whisk) 462 (Beater) 317 (Hook) 197
Max Dough Capacity (Kg)	6*
Machine Dimension (mm)	550 x 450 x 880
Packing Dimension (mm)	640 x 550 x 1030
Weight (Kg)	70

Model	BJY-BM30N-60
Bowl Capacity (Litres)	28
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	60
Input Power (W)	1500
Speed (R/min)	(Whisk) 548 (Beater) 376 (Hook) 208
Max Dough Capacity (Kg)	6*
Machine Dimension (mm)	550 x 450 x 880
Packing Dimension (mm)	640 x 550 x 1030
Weight (Kg)	70

* 6kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Bakery Mixer 40 litre with Netting

Model	BJY-BM40N
Bowl Capacity (Litres)	38
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Input Power (W)	2100
Speed (R/min)	(Whisk) 483 (Beater) 165 (Hook) 106
Max Dough Capacity (Kg)	8*
Machine Dimension (mm)	640 x 620 x 1040
Packing Dimension (mm)	830 x 730 x 1280
Weight (Kg)	160

Model	BJY-BM40N60
Bowl Capacity (Litres)	38
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	60
Input Power (W)	2100
Speed (R/min)	(Whisk) 580 (Beater) 198 (Hook) 127
Max Dough Capacity (Kg)	8*
Machine Dimension (mm)	640 x 620 x 1040
Packing Dimension (mm)	830 x 730 x 1280
Weight (Kg)	160

* 8kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Bakery Mixer 60 litre with Netting

Model	BJY-BM60N
Bowl Capacity (Litres)	60
Voltage/Phase (V/Ph)	380-415 / 3
Frequency (Hz)	50
Input Power (W)	2300
Speed (R/min)	(Whisk) 458 (Beater) 221 (Hook) 114
Max Dough Capacity (Kg)	25*
Machine Dimension (mm)	910 x 740 x 1600
Packing Dimension (mm)	1050 x 820 x 1800
Weight (Kg)	363

* 25kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Infra Red Electrical Baking Oven ~ 1 Deck

Model	BJJ-E3KW-1BD
Capacity (Kg/hr)	10
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50 / 60
Rated Input Power (W)	3000
Machine Dimension (mm)	920 x 700 x 410
Packing Dimension (mm)	980 x 740 x 450
NO. Of Baking Tray	1
Weight (Kg)	47



Infra Red Electrical Baking Oven ~ 1 Deck

Model	BJJ-E6KW-1BD
Capacity (Kg/hr)	20
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50 / 60
Rated Input Power (W)	6600
Machine Dimension (mm)	1250 x 845 x 615
Packing Dimension (mm)	1310 x 905 x 655
NO. Of Baking Tray	2
Weight (Kg)	103

* Isolator 35A / 1 Phase required



Infra Red Electrical Baking Oven ~ 2 Decks

Model	BJJ-E13KW-2BD
Capacity (Kg/hr)	40
Voltage / Phase (V/Ph)	380 - 415 / 3
Frequency (Hz)	50 / 60
Rated Input Power (W)	13200
Machine Dimension (mm)	1250 x 845 x 1220
Packing Dimension (mm)	1310 x 905 x 1260
NO. Of Baking Tray	4
Weight (Kg)	176



Infra Red Electrical Baking Oven ~ 3 Decks

Model	BJJ-E20KW-3BD
Capacity (Kg/hr)	60
Voltage / Phase (V/Ph)	380 ~ 415 / 3
Frequency (Hz)	50 / 60
Rated Input Power (W)	19800
Machine Dimension (mm)	1250 x 845 x 1615
Packing Dimension (mm)	1310 x 905 x 1655
NO. Of Baking Tray	6
Weight (Kg)	200



Infra Red Electrical Baking Oven ~ 3 Decks

Model	BJJ-E25KW-3BD
Capacity (Kg/hr)	90
Voltage / Phase (V/Ph)	380 ~ 415 / 3
Frequency (Hz)	50 / 60
Rated Input Power (W)	25200
Machine Dimension (mm)	1670 x 845 x 1640
Packing Dimension (mm)	1730 x 905 x 1680
NO. Of Baking Tray	9
Weight (Kg)	280



Gas Heated Baking Oven ~ 1 Deck

Model	BJJ-G30-1BD
Capacity (Kg/hr)	10
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	48
Thermal Load (MJ/h)	40
Machine Dimension (mm)	1000 x 740 x 550
Packing Dimension (mm)	1060 x 800 x 590
NO. Of Baking Tray	1
Weight (Kg)	70



Gas Heated Baking Oven ~ 1 Deck

Model	BJJ-G60-1BD
Capacity (Kg/hr)	20
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	60
Thermal Load (MJ/h)	60
Machine Dimension (mm)	1340 x 900 x 660
Packing Dimension (mm)	1400 x 960 x 700
NO. Of Baking Tray	2
Weight (Kg)	135



Gas Heated Baking Oven ~ 2 Decks

Model	BJJ-G120-2BD
Capacity (Kg/hr)	40
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	120
Thermal Load (MJ/h)	120
Machine Dimension (mm)	1340 x 900 x 1420
Packing Dimension (mm)	1400 x 960 x 1420
NO. Of Baking Tray	4
Weight (Kg)	250



Gas Heated Baking Oven ~ 3 Decks

Model	BJJ-G180-3BD
Capacity (Kg/hr)	60
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	180
Thermal Load (MJ/h)	180
Machine Dimension (mm)	1340 x 900 x 1800
Packing Dimension (mm)	1400 x 960 x 1820
NO. Of Baking Tray	6
Weight (Kg)	370



Gas Heated Baking Oven ~ 3 Decks

Model	BJJ-G270-3BD
Capacity (Kg/hr)	90
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	210
Thermal Load (MJ/h)	210
Machine Dimension (mm)	1760 x 900 x 1800
Packing Dimension (mm)	1820 x 960 x 1840
NO. Of Baking Tray	9
Weight (Kg)	470



Electrical Baking Oven

Model	BJY-3B6P-E
Voltage / Phase (V/Ph)	380 - 415 / 3
Frequency (Hz)	50 / 60
Input Power (W)	22500
Net Wattage (W)	423
Machine Dimension (mm)	1255 x 1165 x 1730
Packing Dimension (mm)	1360 x 1285 x 1885

- * With Timer
- * With Steam
- * With Ceramic Base
- * Without Baking Tray



Electrical Baking Oven

Model	BJY-3B12P-E
Voltage / Phase (V/Ph)	380 - 415 / 3
Frequency (Hz)	50 / 60
Input Power (W)	34200
Net Wattage (W)	588
Machine Dimension (mm)	1615 x 1275 x 1730
Packing Dimension (mm)	1707 x 1390 x 1885

- * With Timer
- * With Steam
- * With Ceramic Base
- * Without Baking Tray



1 Deck Gas Baking Oven + 12 Pans Proofer

Model	BJY-1B+12PF-G
Thermal Load (MJ/h)	60
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50 / 60
Input Power (W)	1660
Net Wattage (W)	202
Machine Dimension (mm)	1310 x 960 x 1459
Packing Dimension (mm)	1410 x 1050 x 1660

- * With Timer
- * With Ceramic Base
- * Without Baking Tray



2 Decks Gas Baking Oven + 8 Pans Proofer

Model	BJY-2B+8PF-G
Thermal Load (MJ/h)	120
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50 / 60
Input Power (W)	1720
Net Wattage (W)	282
Machine Dimension (mm)	1310 x 960 x 1810
Packing Dimension (mm)	1410 x 1050 x 1970

- * With Timer
- * With Ceramic Base
- * Without Baking Tray



2 Decks Electrical Baking Oven + 8 Pans Proofer

Model	BJY-2B+8PF-E
Voltage / Phase (V/Ph)	380 - 415 / 3
Frequency (Hz)	50 / 60
Input Power (W)	16200
Net Wattage (W)	336
Machine Dimension (mm)	1225 x 1100 x 1615
Packing Dimension (mm)	1360 x 1190 x 1790

- * With Timer
- * With Steam
- * With Ceramic Base
- * Without Baking Tray



2 Decks Electrical Baking Oven + 16 Pans Proofer

Model	BJY-2B+16PF-E
Voltage / Phase (V/Ph)	380 - 415 / 3
Frequency (Hz)	50 / 60
Input Power (W)	25600
Net Wattage (W)	475
Machine Dimension (mm)	1625 x 1300 x 1650
Packing Dimension (mm)	1710 x 1390 x 1800

- * With Timer
- * With Steam
- * With Ceramic Base
- * Without Baking Tray



Stainless Steel Single Door Proofer With Humidifier

Model	1DPF-16
No. Of Pan	16 nos
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Input Power (W)	2000
Machine Dimension (mm)	530 x 785 x 2050
Packing Dimension (mm)	630 x 900 x 2190
Weight (Kg)	68

** Without Baking Tray*



Stainless Steel Double Door Proofer With Humidifier

Model	2DPF-32
No. Of Pan	32 nos
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Input Power (W)	2000
Machine Dimension (mm)	1068 x 785 x 2050
Packing Dimension (mm)	1180 x 900 x 2190
Weight (Kg)	108

** Without Baking Tray*



Dough Divider

Model	BJY-DD120
Capacity (Pcs/time)	36
Dought Weight (G)	30 - 100
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Wattage (W)	750
Machine Dimension (mm)	520 x 410 x 1300
Packing Dimension (mm)	670 x 580 x 1445
Weight (Kg)	193



Semi Auto Dough Divider Rounder

Model	BJY-DDR30
Capacity (Pcs/time)	30
Dought Weight (G)	30 - 100
Voltage / Phase (V/Ph)	380-415 / 3
Frequency (Hz)	50
Wattage (W)	750
Machine Dimension (mm)	600 x 730 x 1560
Packing Dimension (mm)	800 x 710 x 1560
Weight (Kg)	345



Dough Moulder

Model	BJY-DM390
Capacity (Pcs/time)	1000 - 3000
Working Wide (mm)	390
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Wattage (W)	750
Machine Dimension (mm)	1300 x 665 x 1090
Packing Dimension (mm)	1510 x 765 x 1245
Weight (Kg)	208



Dough Sheeter

Model	BJY-DS500
Conveyer Belt (Wide)(mm)	500
Conveyer Belt (Length)(mm)	2000
Voltage / Phase (V/Ph)	380-415 / 3
Frequency (Hz)	50
Wattage (W)	400
Machine Dimension (mm)	2540 x 910 x 1150
Packing Dimension (mm)	1090 x 730 x 1270
Weight (Kg)	235



Pizza Oven

Model	BJJ-E-PO22
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Input Power (W)	2200
Machine Dimension (mm)	610 x 620 x 278
Packing Dimansion (mm)	700 x 710 x 340
Weight (Kg)	30



Pizza Oven

Model	BJJ-E-PO42
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Input Power (W)	4200
Machine Dimension (mm)	870 x 810 x 386
Packing Dimansion (mm)	960 x 910 x 485
Weight (Kg)	53

** Single phase - Isolator 25A/1 phase required.*



Toaster ~ 4 Slots

Model	BJJ-T4
Capacity (Pcs)	4
Heating Duration (Min)	0-5
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	1800
Machine Dimension (mm)	300 x 230 x 220
Packing Dimansion (mm)	325 x 285 x 250
Weight (Kg)	4



Toaster ~ 6 Slots

Model	BJJ-T6
Capacity (Pcs)	6
Heating Duration (Min)	0-5
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	2500
Machine Dimension (mm)	430 x 230 x 220
Packing Dimansion (mm)	460 x 285 x 250
Weight (Kg)	6.5



Electrical Conveyor Toaster

Model	BJJ-TT-300
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50
Wattage (W)	1940
Machine Dimension (mm)	416 x 368 x 387
Packing Dimansion (mm)	520 x 450 x 385
Weight (Kg)	18



Bread Slicer

Model	BJJ-BS31
Capacity (Pcs)	31
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50
Wattage (W)	250
Machine Dimension (mm)	650 x 740 x 780
Packing Dimansion (mm)	735 x 810 x 895
Weight (Kg)	82



Bread Slicer

Model	BJJ-BS31-60
Capacity (Pcs)	31
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	60
Wattage (W)	250
Machine Dimension (mm)	650 x 740 x 780
Packing Dimansion (mm)	735 x 810 x 895
Weight (Kg)	82



Convection Oven ~ Without Steamer

Model	BJJ-E-CO28
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Input Power (W)	2250
Machine Dimension (mm)	600 x 550 x 580
Internal Dimension (mm)	450 x 350 x 330
Packing Dimansion (mm)	720 x 700 x 710
Weight (Kg)	32



Meat Slicing Machine *Economic Semi Auto

Model	BJY-SM250-EN
Blade Diameter (mm)	250
Slicing Thickness (mm)	10
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	150
Machine Dimension (mm)	480 x 420 x 400
Packing Dimension (mm)	520 x 460 x 380
Weight (Kg)	23



Meat Slicing Machine *Economic Semi Auto

Model	BJY-SM300-EN
Blade Diameter (mm)	300
Slicing Thickness (mm)	15
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	250
Machine Dimension (mm)	600 x 520 x 450
Packing Dimension (mm)	630 x 530 x 460
Weight (Kg)	28



Meat Mincer

Model	BJY-MM12L BJY-MM12L-60
Capacity (Kg/hr)	120
Voltage / Phase (V/Ph)	220-240 / 1
Input Power (W)	650
Machine Dimension (mm)	360 x 190 x 415
Packing Dimension (mm)	430 x 255 x 415
Weight (Kg)	21



Meat Mincer

Model	BJY-MM22 BJY-MM22-60
Capacity (Kg/hr)	220
Voltage / Phase (V/Ph)	220-240 / 1
Input Power (W)	1100
Machine Dimension (mm)	470 x 240 x 570
Packing Dimension (mm)	590 x 350 x 560
Weight (Kg)	35



Meat Mincer - Floor Standing

Model	BJY-MM75FS
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Wattage (W)	750
Capacity (Kg/hr)	220
Machine Dimension (mm)	305 x 330 x 595
Packing Dimension (mm)	460 x 420 x 700
Weight (Kg)	50



Meat Slicer - Floor Standing

Model	BJY-MS75AFS
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Wattage (W)	750
Capacity (Kg/hr)	220
Machine Dimension (mm)	360 x 310 x 610
Packing Dimension (mm)	450 x 410 x 700
Weight (Kg)	57



Meat Mincer & Slicer - Floor Standing (Meat Preparation Machine)

Model	BJY-MMS300A
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Wattage (W)	750 + 750
Capacity	- Slice 400
(Kg/hr)	- Shredded 200
	- Mince 220
Machine Dimension (mm)	550 x 400 x 680
Packing Dimension (mm)	690 x 540 x 820
Weight (Kg)	95



Feather Removal Machine

Model	BJY-FRM60
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Wattage (W)	1100
Machine Dimension (mm)	600 x 600 x 930
Packing Dimension (mm)	690 x 690 x 990
Weight (Kg)	60



Potato & Vegetable Peeler

Model	BJY-PP10
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Input Power (W)	750
Processing Time (Per Batch/min)	0.5-2
Capacity (Kg)	10
Machine Dimension (mm)	630 x 630 x 1080
Packing Dimension (mm)	670 x 660 x 1150
Weight (Kg)	68



Bone Saw

Model	BJY-BSM650
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Input Power (W)	650
Speed (R/min)	1420
Thickness of Saw Band (mm)	0.5
Length of Saw Bank (mm)	1650
Cutting Thickness (mm)	5-155
Cutting Height (mm)	<180
Machine Dimension (mm)	525 x 470 x 850
Packing Dimension (mm)	560 x 575 x 910
Weight (Kg)	41



Four Glass Display Chiller

Model	BJJY-4GDC78L	BJJY-4GDC98L	BJJY-4GDC235CD
Temperature °C (Celsius)	0 to +12	0 to +12	0 to +12
External Dimension (mm)	428 x 386 x 960	428 x 386 x 1110	515 x 485 x 1835
Packing Dimension (mm)	475 x 432 x 1038	475 x 432 x 1180	580 x 540 x 1900
Capacity (L)	78	98	235
Refrigerant	R134a	R134a	R134a
Voltage / Frequency (V / Hz)	220-240 / 50	220-240 / 50	220-240 / 50
Wattage (W)	164	164	250
Shelves (PVC)	3	4	4
Net Weight (kg)	34	38	78
Unit for 20ft Container	124	62	36
Unit for 40ft Container	258	129	76

* Non Heated Glass



Display Chiller (Piping System)

Model	BJJY-DCPS220	BJJY-DCPS350
Temperature Range (°C)	0 - 10	0 - 10
External Dimension (mm)	530 x 635 x 1721	620 x 635 x 2011
Package Dimension (mm)	585 x 665 x 1771	685 x 665 x 2061
Capacity (L)	220	350
Refrigerant	R134a	R134a
Voltage / Frequency (V/Hz)	220-240 / 50	220-240 / 50
Wattage (W)	180	245
Rated input Power (W)	180	245
Max. ambient temp	38°C	38°C
Ampere (A)	1.27	1.7
Energy Consumption (kw/24h)	2	2.6
Defrost System	Manual	Manual
Gross Weight (Kg)	62	85
Unit for 20ft Container	30	24
Unit for 40ft Container	72	54

* Non Heated Glass



Display Chiller (Blower System)

Model	BJJY-DCBS268	BJJY-DCBS350
Temperature Range (°C)	0 - 10	0 - 10
External Dimension (mm)	530 x 595 x 1821	620 x 595 x 2011
Package Dimension (mm)	585 x 625 x 1880	685 x 665 x 2070
Capacity (L)	250	350
Refrigerant	R134a	R134a
Voltage / Frequency (V/Hz)	220-240 / 50	220-240 / 50
Wattage (W)	210	255
Rated input Power (W)	210	255
Max. ambient temp	38°C	38°C
Ampere (A)	1.7	1.9
Energy Consumption (kw/24h)	1.7	2.86
Defrost System	Automatic	Automatic
Gross Weight (Kg)	72	85
Unit for 20ft Container	27	24
Unit for 40ft Container	60	54

* Non Heated Glass



Single Door Back Bar Cooler

Model	BJJY-1DBC150BS
Temperature °C (Celsius)	0 ~ +8
External Dimension (mm)	600 x 520 x 900
Packing Dimension (mm)	650 x 560 x 945
Storage Capacity (Gross/Net)	138L
Basket / Shelving	2
Compressor (hp)	0.2
Compressor Input Power (watt)	150
Power (V / Hz)	230 / 50
Refrigerant Type	R134a
Net Weight (kg)	44
Unit for 20ft Container	72
Unit for 40ft Container	144

* Double glass without heated



Double Door Back Bar Cooler

Model	BJJY-2DBC250BS
Temperature °C (Celsius)	0 ~ +8
External Dimension (mm)	900 x 520 x 900
Packing Dimension (mm)	950 x 560 x 945
Storage Capacity (Gross/Net)	208L
Basket / Shelving	4
Compressor (hp)	0.2
Compressor Input Power (watt)	150
Power (V / Hz)	230 / 50
Refrigerant Type	R134a
Net Weight (kg)	58
Unit for 20ft Container	48
Unit for 40ft Container	96

* Double glass without heated



Ice Cream Machine

Model	BJY-ICM18-TT	BJY-ICM18-FS
External Dimension (mm)	550 x 750 x 870	550 x 750 x 1330
Capacity (kg/h)	1.2	1.2
Gross Weight (kgs)	142	165
Power (V/hz)	220-240 / 50	220-240 / 50
Rated Input (KW)	1.8	1.8
Refrigerant	R22	R22
Net Weight (kg)	120	135



SIMAG Ice Machine

**** Inclusive Ice Bin***

Model	BJY-SVD203A	BJY-SVD303A
Voltage / Phase (V/Ph)	220-240 / 1	220-240 / 1
Frequency (Hz)	50	50
Power Input (W)	1000	1600
Water Consumption (L/100 lbs ice)		
for air cooled model at 32/21 deg C	57.9	65.6
Refrigerant	R404a	R404a
Bin Dimension (mm)	710 x 810 x 990	710 x 810 x 990
Machine Dimension (mm)	760 x 620 x 575	760 x 620 x 575
Packing Dimension (mm)	830 x 690 x 755	830 x 690 x 755
Gross Weight (Kg)	85	88
Unit for 20ft Container	66	66
Unit for 40ft Container	135	135



Commercial Automatic Dish Washer

Model	BJY-DW3210S
Dimension (mm)	650 x 650 x 1355
Washing Capacity (Litres)	40
Max. Temperature of Washing	65°C
Washing Time	40 Sec - 120 Sec (8 Steps)
RINSE Capacity (Litres)	27
Max. Temperature of Rinse	85°C
RINSE Time	6 Sec - 13 Sec (8 Steps)
Voltage (V/Hz)	380-415 / 3 / 50 / 60
Max. Electric Power (Kw/h)	1.4
Washing Capability - Bowl (Pcs)	1500
(Per hour) - Big size (Pcs)	350-460
- Glass cup (Pcs)	2000 (Max)

Product Features

- Aesthetic design
- Saving type (ENERGY, DETERGENT, RINSE, TIME)
- Sanitary (WASHING, RINSE PUMP)
- Built-In hot water booster
- Easy installation
- Full automatic (WASHING → RINSE / STERILIZATION SELF / DRYING)
- Enable to install in every shop
- F mode high pressure washing function
- Usable with universal types and dimension of the dish





Stainless Steel Ashtray Bin ~Perforated Cover

Model **BJY-ASH-PC**
Dimension (mm) **Ø250 x 610**



Stainless Steel Round Service Trolley

Model **BJY-RST**
Dimension (mm) **Ø400 x 715**



Stainless Steel Square Ashtray Bin ~Perforated Cover

Model **BJY-SQASH-PC**
Dimension (mm) **Ø250 x 610**



Stainless Steel Rectangular Service Trolley (Knock Down)

Model **BJY-ST-KD**
Dimension (mm) **450 x 400 x 765**



Stainless Steel Square Ashtray Bin ~Flip Cover

Model **BJY-SQASH-FC**
Dimension (mm) **Ø250 x 610**



Stainless Steel Seasoning Trolley (Knock Down) ~ 8 Compartments

Model **BJY-SST8-KD**
Dimension (mm) **850 x 450 x 900**



Stainless Steel BBQ

Model **BJY-BBQ-645**
Dimension (mm) **645 x 370 x 700**

Stainless Steel Dining Trolley (Knock Down)

Stainless Steel 2 Tier Dining Trolley

Model **BJY-2TDT-KDS (Small)**
Dimension (mm) **750 x 400 x 835**
Packing Dimension **750 X 430 X 125**



Model **BJY-2TDT-KDM (Medium)**
Dimension (mm) **850 x 450 x 900**
Packing Dimension **830 X 470 X 125**

Model **BJY-2TDT-KDL (Large)**
Dimension (mm) **950 x 500 x 950**
Packing Dimension **930 x 530 x 125**

Stainless Steel 3 Tier Dining Trolley

Model **BJY-3TDT-KDS (Small)**
Dimension (mm) **750 x 400 x 835**
Packing Dimension **730 X 430 X 155**



Model **BJY-3TDT-KDM (Medium)**
Dimension (mm) **850 x 450 x 900**
Packing Dimension **830 x 470 x 155**

Model **BJY-3TDT-KDL (Large)**
Dimension (mm) **950 x 500 x 950**
Packing Dimension **930 X 530 X 155**

Stainless Steel Dish Collection Trolley

Model **BJY-DCT-KDS (Small)**
Dimension (mm) **750 x 400 x 835**
Packing Dimension **760 x 430 x 140**



Model **BJY-DCT-KDM (Medium)**
Dimension (mm) **850 x 450 x 900**
Packing Dimension **860 x 480 x 140**

Model **BJY-DCT-KDL (Large)**
Dimension (mm) **950 x 500 x 950**
Packing Dimension **960 x 530 x 140**



Stainless Steel Baby Chair

Model **SP : BC**
Dimension (mm) **340 x 530 x 820**



3 Tier Dinning Trolley (Knock Down)

Model	BJY-3TDT
Dimension (mm)	810 x 435 x 910
Packing Dimension (mm)	765 x 440 x 230



Cutlery Trolley (Knock Down)

Model	BJY-CT
Dimension (mm)	850 x 450 x 900
a) Frame Work	815 x 815 x 150
b) Plastic container / Edge handling bin	550 x 400 x 370



Cutlery Trolley (Knock Down)

Model	3 TCT (S)
Dimension (mm)	730 x 420 x 980
Container / Handling Bin Capacity	25 / 20
Packing Dimension (mm)	
a) Frame Work	882 x 87 x 539
b) Plastic container / Edge handling bin	530 x 385 x 325



Cutlery Trolley (Knock Down)

Model	3 TCT (L)
Dimension (mm)	810 x 470 x 1020
Container / Handling Bin Capacity	40 / 20
Packing Dimension (mm)	
a) Frame Work	930 x 87 x 620
b) Plastic container / Edge handling bin	615 x 455 x 300



Cutlery Trolley (Knock Down)

Model	4 TCT (S)
Dimension (mm)	730 x 420 x 1250
Container / Handling Bin Capacity	25 / 20
Packing Dimension (mm)	
a) Frame Work	1150 x 87 x 539
b) Plastic container / Edge handling bin	530 x 385 x 365



Knock Down Stainless Steel Cooling Rack - for Food Pan

Model	K-CR-FP-439
Dimension (mm)	390 x 550 x 1735
Packing Dimension (mm)	1650 x 590 x 100
Model	K-CR-FP-304
Dimension (mm)	390 x 550 x 1735
Packing Dimension (mm)	1650 x 590 x 100



Knock Down Stainless Steel Cooling Rack - for Baking Tray

Model	K-CR-BT-439
Dimension (mm)	470 x 620 x 1735
Packing Dimension (mm)	1650 x 660 x 110
Model	K-CR-BT-304
Dimension (mm)	470 x 620 x 1735
Packing Dimension (mm)	1650 x 660 x 110



Wire Shelving

Material	Stainless Steel
Model	BJY-3621-6SS
Dimension (mm)	910 x 530 x 1803
Model	BJY-4821-6SS
Dimension (mm)	1220 x 530 x 1803
Model	BJY-6021-6SS
Dimension (mm)	1525 x 530 x 1803
Material	Chrome
Model	BJY-3621-6C
Dimension (mm)	910 x 530 x 1803
Model	BJY-4821-6C
Dimension (mm)	1220 x 530 x 1803
Model	BJY-6021-6C
Dimension (mm)	1525 x 530 x 1803



Cutlery Trolley (Knock Down)

Model	4 TCT (L)
Dimension (mm)	810 x 470 x 1250
Container / Handling Bin Capacity	40 / 20
Packing Dimension (mm)	
a) Frame Work	1150 x 87 x 620
b) Plastic container / Edge handling bin	615 x 455 x 380




Stainless Steel Rectangular Table

Model **SP : ST(SS)**
Dimension (mm) **1130 x 720 x 760**



Granite Rectangular Table

Model **SP : GT(BG) / SP : GT(IR)**
Dimension (mm) **1220 x 710 x 760**



Black Galaxy (BG)



Imperial Red (IR)



Fibreglass Square Metal Table

Model **FST2424**
Dimension (mm) **610 x 610 x 760**

Model **FST2727**
Dimension (mm) **685 x 685 x 760**



Fibreglass Rectangular Metal Table

Model **FRT4227**
Dimension (mm) **1070 x 685 x 760**

Model **FRT4824**
Dimension (mm) **1220 x 610 x 760**

Model **FRT4827**
Dimension (mm) **1220 x 685 x 760**

Model **FRT4224**
Dimension (mm) **1070 x 610 x 760**



BJJ 3C



BJJ 3R



BJJ 2R

Fibreglass Metal Chair (Seat 15")

Model **BJJ 3C** **BJJ 3R** **BJJ 2R**
Seat Diameter (mm) **380** **380** **380**



Stainless Steel Chair

Model **SP : C**
Dimension (mm) **450 x 570 x 780**



Orange



Black



Pepsi Blue



Dark Brown



Yellow

Plastic Chair

With Galaxy



7751 bws orange



9441 bws yellow



9441 bws maroon



3500 bws red



1037 bws dolphine green



2677 bws apple green



4226 bws tnb blue



2121 bws sky blue

Without Galaxy



7751 orange



9441 yellow



3132 maroon



3500 red



1037 dolphine green



2677 apple green



4226 tnb blue



2121 sky blue



ISO 9001: 2008

BERJAYA®

BERJAYA STEEL PRODUCT SDN. BHD.

(Company No. 301440-W)

Office : 191-5, 5th Floor, Wisma CKE, Jalan Lancang off Jalan Cheras, 56100 Kuala Lumpur, Malaysia.
Hunting line : +603-9145 8888 Telephone : +603-9130 1213 Fax : +603-9130 1226

Factory : PT 16736, Jalan Permata 1, Arab Malaysian Industrial Park,
71800 Nilai, Negeri Sembilan, Malaysia.

Email : export@berjayasteel.com

Website : www.berjayasteel.com

Export Equipment/REV-14/2018/06