



JUSTA



TRANSFORMERS

600 & 400 MODULAR COOKING RANGE
CATALOG 2023

400&600

400/600 Modular Cooking Range





台式燃气煲仔炉 Gas Stove



特点 Features

- 精选高品质不锈钢材质，耐腐蚀，不起锈，不沾油烟；一次压制成型，强度高，韧性好，简洁美观，圆滑平整，无卫生死角，易于清洗。
- 简易不锈钢炉架，耐高温、抗氧化，经久耐用。
- 双重安全保护设计：熄火保护及热电偶安全装置，安全可靠。
- 全新分焰炉头设计，火焰瞬间最大化，火焰稳定，保持烹饪温度平衡；燃烧充分热效率高，微烟节能，安全环保。
- Made of high-quality stainless steel, this product is corrosion resistant, rustproof and permits easy removal of cooking fumes. The one stretch forming worktop is tough, tenacious and simple. It is also smooth and flat so that it will not collect dirt and can be completely cleaned.
- The simple stainless steel hobs are high temperature resistant antioxidant and durable.
- The flame failure device and thermocouple safety device provides dual protection so that this product is safe and reliable.
- Newly designed burner with several layers. The flame can grow to the highest temperature very soon and then remain stable to provide constant cooking temperature. Complete combustion ensures high heat efficiency and reduces fumes. Therefore, it is energy-saving, safe and environmental-friendly.

型号Model	规格Dimensions (mm)	热功率Power (KW)	耗气量Gas Consumption		净重NW(KG)
			液化气LPG2800-3700Pa(kg/h)	天然气NG2000-2500Pa(m³/h)	
SPTT16-JUS-TR-4 (天然气) SPTY13-JUS-TR-4 (液化气)	600×650×475	4.5×2+3.5×2	1.14	1.7	29.8



台式电煮食炉 Electric Hot-Plate



特点 Features

- 精选高品质不锈钢材质，耐腐蚀，不起锈，不沾油烟，易清洁。
- 整体一次成型拉伸台面，强度高，韧性好，简洁美观，圆滑平整，无卫生死角，易于清洗。
- 三档温度设置，随心调节烹饪温度，适应不同食物的温度要求。
- 电热板功率2x2.6千瓦+2x2千瓦。
- Made of high-quality stainless steel, this product is corrosion resistant, rustproof and permits easy removal of cooking fumes.
- The one stretch forming worktop is tough, tenacious and simple. It is also smooth and flat so that it will not collect dirt and can be completely cleaned.
- With an efficient hot plate, this product is energy-saving and efficient and ensures safety and convenience.
- 4-position temperature setting is available. Users can adjust the cooking temperature as they want to meet the temperature requirements for cooking different food.
- Power Output of the Hot Plate: 2x2.6kW+2x2kW.

型号Model	规格Dimensions (mm)	功率Power (KW)	电压Volts (V)	净重NW(KG)
JUS-TZ-4	600×650×475	2.6×2+2×2	380	31.4



台式电扒炉 Electric Griddle



特点 Features

- 精选高品质不锈钢材质，耐腐蚀，不起锈，不沾油烟；扒面全焊，牢固稳定，无死角，易清洁。
- 便捷拆卸式扒面围裙设计，易安装，便于拆卸清洗。
- 前板厚料整体成型，强度高，韧性好，简洁美观，圆滑平整，不变型。
- Made of high-quality stainless steel, this product is corrosion resistant, rustproof and permits easy removal of cooking fumes. The welded griddle plate is solid and firm and can be completely cleaned.
- The removable griddle plate baffle is easy to install and can be removed for cleaning.
- The one forming front plate is tough, tenacious and simple. It is also smooth and flat and will not deform easily.

型号Model	规格Dimensions (mm)	功率Power (KW)	电压Volts (V)	净重NW(KG)
JUS-DGH-60	600×650×475 扒板尺寸Griddle Size: 596×510×14	7.8	380 温度范围Temperature(°C):50-300°C	60.4



台式燃气煮面机
Gas Noddle Boiler



台式电煮面机
Electric Noddle Boiler



型号Model	SZST11-JUS-TRM60 (天然气)	SZSY11-JUS-TRM60 (液化气)	JUS-DM-3
功率Power(kw)	11.2		9
电压Volts (V)			380 温度范围Temperature(°C)0-100°C
净重N (KG)	39		36
规格 Dimensions(mm)	600×650×475 面笊尺寸: Φ120x140mm		600×650×475 面笊尺寸: Φ120x140mm
耗气量 Gas Consumption	液化气LPG2800-3700Pa(kg/h)	0.93	---
	天然气NG2000-2500Pa(m³/h)	1.18	



台式燃气扒炉
Gas Griddle



型号Model	SRBT10-JUS-TRG60 (天然气)	SRBY10-JUS-TRG60 (液化气)
功率Power(kw)	10	
电压Volts (V)	---	
净重N (KG)	58	
规格 Dimensions(mm)	600 × 650 × 475 扒板尺寸 Griddle Size: 596 × 514.5 × 14	
耗气量 Gas Consumption	液化气LPG2800-3700Pa(kg/h)	1.00
	天然气NG2000-2500Pa(m³/h)	1.20



台式燃气烧烤炉 Gas Grill



特点 Features

- 精选高品质不锈钢材质，耐腐蚀，不起锈，不沾油烟，易清洁。
- 整体一次成型拉伸台面，强度高，韧性好，简洁美观，圆滑平整，无卫生死角，易于清洗。
- 高效能电热管设计，节能高效，安全便捷；自由温度调节设置，随心调节烹饪温度，适应不同食物的温度要求。
- 便携油脂收集盒设计，轻松收油脂，洁净高效。
- Made of high-quality stainless steel, this product is corrosion resistant, rustproof and permits easy removal of cooking fumes.
- The one stretch forming worktop is tough, tenacious and simple. It is also smooth and flat so that it will not collect dirt and can be completely cleaned.
- With an efficient heating tube, this product is energy-saving and efficient and ensures safety and convenience. Free temperature setting is available. • Users can adjust the cooking temperature as they want to meet the temperature requirements for cooking different food.
- The oil basin can collect the oil conveniently to keep it clean and efficient.

型号Model	规格Dimensions (mm)	热功率Power (KW)	耗气量Gas Consumption		净重NW(KG)
			液化气LPG2800-3700Pa(kg/h)	天然气NG2000-2500Pa(m³/h)	
SSKT14-JUS-TRH60 (天然气)	600 × 650 × 475	14.4	1.20	1.46	67
SSKY14-JUS-TRH60 (液化气)					



台式电炸炉 Electric Fryer



特点 Features

- 精选高品质不锈钢材质，耐腐蚀，不起锈，不沾油烟；整体一次成型拉伸台面，强度高，韧性好，简洁美观，圆滑平整，无卫生死角，易于清洗。
- 高效能电热管，便捷式上下翻起设计，节能高效，安全便捷。
- 自由温度调节设置，随心调节烹饪温度，适应不同食物的温度要求。
- Made of high-quality stainless steel, this product is corrosion resistant, rustproof and permits easy removal of cooking fumes. The one stretch forming worktop is tough, tenacious and simple. It is also smooth and flat so that it will not collect dirt and can be completely cleaned.
- With an efficient heating tube and convenient design, this product is energy-saving and efficient and ensures safety and convenience.
- Free temperature setting is available. Users can adjust the cooking temperature as they want to meet the temperature requirements for cooking different food.

型号Model	规格Dimensions (mm)	功率Power (KW)	温度范围Temperature(°C)	容量Capacity (L)	电压Volts (V)	净重NW(KG)
JUS-TEF-2	600×650×475	8.5x2	50-190	12Lx2	380	35



台式电保温炉 Electric Bain Marie



特点 Features

- 精选高品质不锈钢材质，耐腐蚀，不起锈，不沾油烟。
- 整体一次成型拉伸台面，强度高，韧性好，简洁美观，圆滑平整，无卫生死角，易于清洗。
- 高效能电热管，节能高效，安全便捷。
- 自由温度调节设置，保温效果佳。
- 干烧保温，不需加水。
- Made of high-quality stainless steel, this product is corrosion resistant, rustproof and permits easy removal of cooking fumes.
- The one stretch forming worktop is tough, tenacious and simple. It is also smooth and flat so that it will not collect dirt and can be completely cleaned.
- With an efficient heating tube, this product is energy-saving and efficient and ensures safety and convenience.
- Free temperature setting is available to achieve excellent thermal insulation.
- Dry heat preservation without adding water.

型号Model	规格Dimensions (mm)	功率Power (KW)	电压Volts (V)	净重NW(KG)
JUS-TY-2	600×650×475	1.2	230	24.4



台式燃气炸炉
Gas Fryer



台式电烧烤炉
Electric Grill



型号Model	SZLT11-JUS-TRC-2 (天然气)	SZLY11-JUS-TRC-2 (液化气)
功率Power(kw)	5.6x2	
电压Volts (V)	—	
净重N (KG)	36	
规格 Dimensions(mm)	600×650×475 容量：10Lx2	
耗气量 Gas Consumption	液化气LPG2800–3700Pa(kg/h)	0.93
	天然气NG2000–2500Pa(m³/h)	1.18

JUS-TH60
7.5
380v/50Hz
68
600×650×475



台式燃气煲仔炉 Gas Stove



特点 Features

- 精选高品质不锈钢材质，耐腐蚀，不起锈，不沾油烟；一次压制成型，强度高，韧性好，简洁美观，圆滑平整，无卫生死角，易于清洗。
- 简易不锈钢炉架，耐高温、抗氧化，经久耐用。
- 双重安全保护设计：熄火保护及热电偶安全装置，安全可靠。
- 全新分焰炉头设计，火焰瞬间最大化，火焰稳定，保持烹饪温度平衡。
- 燃烧充分热效率高，微烟节能，安全环保。
- Made of high-quality stainless steel, this product is corrosion resistant, rustproof and permits easy removal of cooking fumes. The one stretch forming worktop is tough, tenacious and simple. It is also smooth and flat so that it will not collect dirt and can be completely cleaned.
- The simple stainless steel hobs are high temperature resistant antioxidant and durable.
- The flame failure device and thermocouple safety device provides dual protection so that this product is safe and reliable.
- Newly designed burner with several layers of flame. The flame can grow to the highest temperature very soon and then remain stable to provide constant cooking temperature.
- Complete combustion ensures high heat efficiency and reduces fumes. Therefore, it is energy-saving, safe and environmental-friendly.

型号Model	规格Dimensions (mm)	热功率Power (KW)	耗气量Gas Consumption		净重NW(KG)
			液化气LPG2800-3700Pa(kg/h)	天然气NG2000-2500Pa(m³/h)	
SPTT8-JUS-TR-2 (天然气) SPTY6.8-JUS-TR-2 (液化气)	400×650×475	4.5+3.5	0.57	0.85	22



台式电煮食炉 Electric Hot-Plate



特点 Features

- 精选高品质不锈钢材质，耐腐蚀，不起锈，不沾油烟，易清洁。
- 整体一次成型拉伸台面，强度高，韧性好，简洁美观，圆滑平整，无卫生死角，易于清洗。
- 高效能电热板设计，节能高效，安全便捷。
- 三档温度设置，随心调节烹饪温度，适应不同食物的温度要求。
- 电热板功率1x2.6千瓦+1x2千瓦。
- Made of high-quality stainless steel, this product is corrosion resistant, rustproof and permits easy removal of cooking fumes.
- The one stretch forming worktop is tough, tenacious and simple. It is also smooth and flat so that it will not collect dirt and can be completely cleaned.
- With an efficient hot plate, this product is energy-saving and efficient and ensures safety and convenience.
- 3-position temperature setting is available. Users can adjust the cooking temperature as they want to meet the temperature requirements for cooking different food.
- Power Output of the Hot Plate: 1x2.6kW+1x2kW.

型号Model	规格Dimensions (mm)	功率Power (KW)	电压Volts (V)	净重NW(KG)
JUS-TZ-2	400×650×475	2.6+2	230	19



台式电炸炉 Electric Fryer



特点 Features

- 精选高品质不锈钢材质，耐腐蚀，不起锈，不沾油烟，易清洁。
- 整体一次成型拉伸台面，强度高，韧性好，简洁美观，圆滑平整，无卫生死角，易于清洗。
- 高效能电热管，便捷式上下翻起设计，节能高效，安全便捷。
- 自由温度调节设置，随心调节烹饪温度，适应不同食物的温度要求。
- Made of high-quality stainless steel, this product is corrosion resistant, rustproof and permits easy removal of cooking fumes.
- The one stretch forming worktop is tough, tenacious and simple. It is also smooth and flat so that it will not collect dirt and can be completely cleaned.
- With an efficient heating tube and convenient design, this product is energy-saving and efficient and ensures safety and convenience.
- Free temperature setting is available. Users can adjust the cooking temperature as they want to meet the temperature requirements for cooking different food.

型号Model	规格Dimensions (mm)	功率Power (KW)	电压Volts (V)	温度范围Temperature (°C)	净重NW(KG)
JUS-TEF-1	400×650×475	8.5	380	50-190°C	20


台式燃气煮面机
Gas Noddle Boiler

台式燃气炸炉
Gas Fryer


型号Model	SZST5.6-JUS-TRM40 (天然气)	SZSY5.6-JUS-TRM40 (液化气)	SZLT5.6-JUS-TRC-1 (天然气)	SZLY5.6-JUS-TRC-1 (液化气)
功率Power(kw)	5.6		5.6	
净重N (KG)	28		23	
温度范围 Temperature (°C)	0-100°C		120-200°C	
规格 Dimensions(mm)	400×650×475 面篓尺寸: Φ120x140mm		400×650×475	
耗气量 Gas Consumption	液化气LPG2800-3700Pa(kg/h)	0.47	液化气LPG2800-3700Pa(kg/h)	0.47
	天然气NG2000-2500Pa(m³/h)	0.59	天然气NG2000-2500Pa(m³/h)	0.59


台式电煮面机
Electric Noddle Boiler

台式电扒炉
Electric Griddle


型号Model	JUS-DM-2	JUS-DGH-40
功率Power(kw)	5.4	3.9
电压Volts (V)	380	380
净重N (KG)	25.6	43.5
规格 Dimensions(mm)	400×650×475 面篓尺寸: Φ120x140mm	400×650×475 扒板尺寸/Griddle size: 396×514.5×14
温度范围 Temperature (°C)	0-100°C	50-300°C



台式燃气扒炉 Gas Griddle



特点 Features

- 精选高品质不锈钢材质，耐腐蚀，不起锈，不沾油烟；扒面全焊，牢固稳定，无死角，易清洁。
- 便捷拆卸式扒面围裙设计，易安装，便于拆卸清洗。
- 前板厚料整体成型，强度高，韧性好，简洁美观，圆滑平整，不变形。
- Made of high-quality stainless steel, this product is corrosion resistant, rustproof and permits easy removal of cooking fumes. The welded griddle plate is solid and firm and can be completely cleaned.
- The removable griddle plate baffle is easy to install and can be removed for cleaning.
- The one forming front plate is tough, tenacious and simple. It is also smooth and flat and will not deform easily.

型号Model	规格 Dimensions (mm)	热功率 Power (KW)	耗气量Gas Consumption		温度范围 Temperature (°C)	净重 NW(KG)
			液化气LPG2800 -3700Pa(kg/h)	天然气NG2000 -2500Pa(m³/h)		
SRBT5-JUS-TRG40 (天然气) SRBY5-JUS-TRG40 (液化气)	400×650×475 扒板尺寸/Griddle size: 396×514.5×14	5	0.50	0.60	120-300°C	42



台式燃气烧烤炉 Gas Grill



特点 Features

- 精选高品质不锈钢材质，耐腐蚀，不起锈，不沾油烟，易清洁。
- 整体一次成型拉伸台面，强度高，韧性好，简洁美观，圆滑平整，无卫生死角，易于清洗。
- 高效能电热管设计，节能高效，安全便捷；自由温度调节设置，随心调节烹饪温度，适应不同食物的温度要求。
- 便携油脂收集盒设计，轻松收油脂，洁净高效。
- Made of high-quality stainless steel, this product is corrosion resistant, rustproof and permits easy removal of cooking fumes.
- The one stretch forming worktop is tough, tenacious and simple. It is also smooth and flat so that it will not collect dirt and can be completely cleaned.
- With an efficient heating tube, this product is energy-saving and efficient and ensures safety and convenience. Free temperature setting is available. • Users can adjust the cooking temperature as they want to meet the temperature requirements for cooking different food.
- The oil basin can collect the oil conveniently to keep it clean and efficient.

型号Model	规格 Dimensions (mm)	热功率 Power (KW)	耗气量Gas Consumption		净重NW(KG)
			液化气LPG2800-3700Pa(kg/h)	天然气NG2000-2500Pa(m³/h)	
SSKT7.2-JUS-TRH40 (天然气) SSKY7.2-JUS-TRH40 (液化气)	400×650×475	7.2	0.60	0.73	45



台式电烧烤炉 Electric Grill



型号Model	JUS-TH40
功率Power(kw)	4.5
电压Volts (V)	380
净重N (KG)	45
规格 Dimensions(mm)	400×650×475



台式电保温炉
Electric Bain Marie



型号Model	JUS-TY-1
功率Power(kw)	0.75
电压Volts (V)	230
净重N (KG)	17
规格 Dimensions(mm)	400×650×475



PT MULTI FLASHINDO KARISMA

□ JAKARTA

Jl. Hayam Wuruk 114 Blok A No.4,
Maphar. Jakarta - Indonesia 11160
Phone: +62 21 626 8758
Whatsapp: +62 811 1210 6803
Email: sales.dept@mfk.co.id

□ SURABAYA

Ruko Royal Crown Palace RA 2
Jl. H. Anwar Hamzah, Kp. Baru, Tambakoso,
Kec. Waru, Kab. Sidoarjo, Jawa Timur 61256
Phone: +62 31 3592 9091
Whatsapp: +62 811 1210 6803
Email: sales.sby@mfk.co.id

□ BALI

Jl. Sunset Road No.108b, Kec. Kuta
Kab. Badung. Bali - Indonesia 80361
Phone: +62 361 934 2633
Whatsapp: +62 811 1210 6803
Email: sales.bali@mfk.co.id

□ SERVICE CENTER

Jl. Kamal raya No.9 Unit G, RT 01/RW 06
Tegal Alur. Cengkareng - Indonesia 11820
Phone: +62 21 5595 2523
Whatsapp: +62 811 9144 614
Email: service.center@mfk.co.id