



verve

---

2JC00K  
CATALOGUE

---

Gas Series


# Contents

## 02

### GAS SERIES

Cooking made easy

Experience the power and durability of gas cooking, the ultimate choice for commercial kitchens. Built to withstand the demands of high-volume cooking, our gas appliances offer durability and longevity that you can rely on. Designed with robust construction and long lifespan making them a cost-effective investment for your commercial kitchen. Plus, gas cooking is known for its versatility, allowing you to tackle a wide range of culinary tasks with ease. Discover the power and versatility only gas cooking can provide. Fuel your passion and elevate your culinary creations with the ultimate choice for professional chefs.



## 01 INDUCTION & ELECTRIC UNIT

A sophisticated take on meal prepping

## 03

### FURNITURE SERIES

Convenience meets function

# Our Partners

## Restaurants



# Our Partners

## Hotels



## Industry



## School







# 2.0 verve Gas Series

# A sleek, modern, and functional heavy-duty gas ranges, from Stainless-Steel.

Chefs usually prefer gas ranges because heat output can be greater and easier to control. Our gas ranges will suit the needs of every kitchen from kwali/wok for asian restaurant, griddle for diner or stands, even open burners,

## Products List

2.1	Gas Stove Range Portable	2.2	Gas Stove Cabinet	2.3	Gas Stove Oven	01.
2.4	Gas Flat Griddle Portable	2.5	Gas Griddle Cabinet	2.6	Gas Noodle Series	
2.7	Gas Charcoal Portable	2.8	Gas Charcoal Cabinet	2.9	Gas Deep Fryer 21L	
2.10	Gas Low Oil Fryer 17 L	2.11	Gas Stock Pot	2.12	Gas Kwali Range Series	
2.13	Gas Kwali Blower Series	2.14	Gas Salamander			





# 02. 2.1

## Gas Stove Range Portable

This Portable Gas Stove with a countertop design, the unit is space efficient, space efficient with 3 types of iron casts models to choose from depending on your scale of production.

This device has 2 types of flame, which is ideal for not only for cooking but also heating. Whipping up sauces, sides, entrees and even desserts become a simple task. Equipped with flame failure device and adjustable leveling feet.



✱ GS2B-P




✱ GS4B-P




✱ GS6B-P

ITEM	DETAIL
------	--------




Type : GS2B-P  
Dimension ( W x D x H ) : 400 x 750 x 335/460mm  
Net Weight : 39 Kg  
Gas Connection : 1/2 Inch  
Gas Consumption : 15 Kw / Hr  
Power : Gas  
Cooking Zone : 2 x 300 x 300  
Country Of Origin : Indonesia



Type : GS6B-P  
Dimension ( W x D x H ) : 950 x 750 x 335/460mm  
Net Weight : 59 Kg  
Gas Connection : 3/4 Inch  
Gas Consumption : 45 Kw / Hr  
Power : Gas  
Cooking Zone : 6 x 300 x 300  
Country Of Origin : Indonesia

ITEM	DETAIL
------	--------



Type : GS4B-P  
Dimension ( W x D x H ) : 650 x 750 x 335/460mm  
Net Weight : 48 Kg  
Gas Connection : 1/2 Inch  
Gas Consumption : 30 Kw / Hr  
Power : Gas  
Cooking Zone : 4 x 300 x 300  
Country Of Origin : Indonesia







# 04. 2.2

## Gas Stove Cabinet

This Gas Stove Cabinet designed to withstand the most demanding of commercial environments, A great way to produce consistently high-quality food while getting the most out of your operation's valuable floor space. you can fry and simmer on top while eliminating wasted space by using the cabinet below to store pans and other go-to items. Equipped with flame failure device and adjustable leveling feet.



✧ GS2B-C




✧ GS4B-C




✧ GS6B-C

ITEM	DETAIL
------	--------




Type : GS2B-C  
Dimension ( W x D x H ) : 400 x 750 x 850/1000mm  
Net Weight : 54 Kg  
Gas Connection : 1/2 Inch  
Gas Consumption : 15 Kw / Hr  
Power : Gas  
Cooking Zone : 2 x 300 x 300  
Country Of Origin : Indonesia



Type : GS6B-C  
Dimension ( W x D x H ) : 950 x 750 x 850/1000mm  
Net Weight : 77 Kg  
Gas Connection : 3/4 Inch  
Gas Consumption : 45 Kw / Hr  
Power : Gas  
Cooking Zone : 6 x 300 x 300  
Country Of Origin : Indonesia


ITEM	DETAIL
------	--------



Type : GS4B-C  
Dimension ( W x D x H ) : 650 x 750 x 850/1000mm  
Net Weight : 65 Kg  
Gas Connection : 1/2 Inch  
Gas Consumption : 30 Kw / Hr  
Power : Gas  
Cooking Zone : 4 x 300 x 300  
Country Of Origin : Indonesia







# 06. 2.3

## Gas Stove Oven


This Gas Stove with Oven is a combination of open top burners and a spacious oven, make this gas range item a tremendous asset to your commercial kitchen! With 2 types of flame on the top burner, you can effortlessly boil, saute, simmer and perform a variety of other cooking tasks atop the heavy-duty cast iron grates. The oven meanwhile, provides you with a convenient way to warm your delicious food or even do a bit of baking for your dessert menu! Equipped with flame failure device.




✧ GS4B-OV



✧ GS6B-OV

ITEM	DETAIL
	Type : GS4B-OV Dimension ( WxDxH ) : 650 x 750 x 850/1000mm Net Weight : 136 Kg Gas Connection : 3/4 Inch Gas Consumption : 37.9 Kw / Hr Cooking Zone : 4 x 300 x 300 Power : Gas Oven Size : 500 x 500 x 300mm

ITEM	DETAIL
	Type : GS6B-OV Dimension ( WxDxH ) : 950 x 750 x 850/1000mm Net Weight : 173.05 Kg Gas Connection : 3/4 Inch Gas Consumption : 52.9 Kw / Hr Cooking Zone : 6 x 300 x 300 Power : Gas Oven Size : 500 x 500 x 300mm







08. **2.4**

## Gas Flat Griddle Portable

The Portable Gas Flat Griddle unit is space efficient, designed specifically for your kitchen countertop and allows you to maximize every inch of work space. Ideal for cooking burgers, pancakes, vegetables skewers. Equipped with flame failure device, ignitor piezzo and adjustable leveling feet.



✧ GF40-P




✧ GF60-P




✧ GF90-P

ITEM	DETAIL
------	--------




Type : GF40-P  
Dimension ( W x D x H ) : 400 x 750 x 335/460mm  
Net Weight : 32 Kg  
Gas Connection : 1/2 Inch  
Power : Gas  
Gas Consumption : 5 Kw / Hr  
Country Of Origin : Indonesia



Type : GF90-P  
Dimension ( W x D x H ) : 900 x 750 x 335/460mm  
Net Weight : 55 Kg  
Gas Connection : 1/2 Inch  
Power : Gas  
Gas Consumption : 10 Kw / Hr  
Country Of Origin : Indonesia

ITEM	DETAIL
------	--------



Type : GF60-P  
Dimension ( W x D x H ) : 600 x 750 x 335/460mm  
Net Weight : 40 Kg  
Gas Connection : 1/2 Inch  
Power : Gas  
Gas Consumption : 6,2 Kw / Hr  
Country Of Origin : Indonesia







10.

2.5

## Gas Griddle Cabinet

The Gas Flat Griddle Cabinet is convenient equipment combination is great for any kitchen that wants to streamline their food prep process providing refrigerated storage space, a griddle for cooking, and place for the griddle to sit. You can keep a variety of ingredients in the chef base, pull them out for an order, and grill it all within the same work-space. powered with U Burners. Equipped with flame failure device, ignitor piezzo and adjustable leveling feet.



✧ GF40-C




✧ GF60-C




✧ GF90-C

ITEM	DETAIL
------	--------




Type : GF40-C  
Dimension ( W x D x H ) : 400 x 750 x 850/1000mm  
Net Weight : 43 Kg  
Gas Connection : 1/2 Inch  
Power : Gas  
Gas Consumption : 5 Kw / Hr  
Country Of Origin : Indonesia

ITEM	DETAIL
------	--------



Type : GF60-C  
Dimension ( W x D x H ) : 600 x 750 x 850/1000mm  
Net Weight : 53 Kg  
Gas Connection : 1/2 Inch  
Power : Gas  
Gas Consumption : 6.2 Kw / Hr  
Country Of Origin : Indonesia



Type : GF90-C  
Dimension ( W x D x H ) : 900 x 750 x 850/1000mm  
Net Weight : 63 Kg  
Gas Connection : 1/2 Inch  
Power : Gas  
Gas Consumption : 10 Kw / Hr  
Country Of Origin : Indonesia







12. **2.6**

## Gas Noodle Series





Pasta service just got easier and faster with this Gas Noodle Boiler that comes with numerous type. With easy to-use controls, convenient features, and solid stainless steel construction, this unit is a must-have, it's perfect for restaurants, hotels, and catering companies. Equipped with flame failure device and adjustable leveling feet.



✧ GNB-4H/LX



✧ GNB-6H/LX

ITEM	DETAIL	ITEM	DETAIL
	Type : GNB-4H Dimension (W x D x H) : 450 x 750 x 850/1000mm Net Weight : 55 Kg Gas Connection : 1/2 Inch Gas Consumption : 17.5 Kw / Hr Number of Basket : 4 Tank Capacity : 21 Liter Power : Gas Water inlet : 1/2 Inch Outlet & Drain : 1 Inch		Type : GNB-6H Dimension (W x D x H) : 600 x 750 x 850/1000mm Net Weight : 70.3 Kg Gas Connection : 1/2 Inch Gas Consumption : 26.4 Kw / Hr Number of Basket : 6 Tank Capacity : 35 Liter Power : Gas Water inlet : 1/2 Inch Outlet & Drain : 1 Inch
	Type : GNB-4HLX Dimension (W x D x H) : 450 x 750 x 850/1000mm Net Weight : 55 Kg Gas Connection : 1/2 Inch Gas Consumption : 17.5 Kw / Hr Temperature Control : Up to 110°C Number of Basket : 4 Tank Capacity : 21 Liter Power : Gas Water inlet : 1/2 Inch Outlet & Drain : 1 Inch		Type : GNB-6HLX Dimension (W x D x H) : 600 x 750 x 850/1000mm Net Weight : 70.3 Kg Gas Connection : 1/2 Inch Gas Consumption : 26.4 Kw / Hr Temperature Control : Up to 110°C Number of Basket : 6 Tank Capacity : 35 Liter Power : Gas Water inlet : 1/2 Inch Outlet & Drain : 1 Inch







14.

2.7

## Gas Charcoal Portable

Make the most out of your valuable countertop space with this Portable Gas Charcoal, it easily prepares high volumes of sizzling steak, juicy hamburgers, mouth-watering ribs, and smoky shish kabobs to satisfy your hungry patrons. Its high-performance burners provide superior heat distribution below the extra high heat and flame-flare of the innovative volcanic stone. powered with Cast Iron Burners. Thick cast iron grill with slanted-angle and oil. Channel for easy cleaning and durability. Equipped with flame failure device, ignitor piezzo, adjustable leveling feet and comes with numerous types.



✧ GC40-P




✧ GC60-P




✧ GC90-P

ITEM	DETAIL
------	--------




Type :GC40-P  
Dimension ( W x D x H ) : 400 x 750 x 335/460mm  
Net Weight : 48 Kg  
Gas Connection : 1/2 Inch  
Power : Gas  
Cooking Surface : Cast Iron Grill  
Gas Consumption : 7.9 Kw / Hr  
Country Of Origin : Indonesia



Type :GC90-P  
Dimension ( W x D x H ) : 900 x 750 x 335/460mm  
Net Weight : 64 Kg  
Gas Connection : 1/2 Inch  
Power : Gas  
Cooking Surface : Cast Iron Grill  
Gas Consumption : 15.8 Kw / Hr  
Country Of Origin : Indonesia

ITEM	DETAIL
------	--------



Type :GC60-P  
Dimension ( W x D x H ) : 600 x 750 x 335/460mm  
Net Weight : 56 Kg  
Gas Connection : 1/2 Inch  
Power : Gas  
Cooking Surface : Cast Iron Grill  
Gas Consumption : 11.8 Kw / Hr  
Country Of Origin : Indonesia







16.

2.8

## Gas Charcoal Cabinet

Keep customers satisfied with this Gas Charcoal Cabinet! The unit features powerful burners with cast iron grates for even broiling, capturing open design for easy access to storage space, perfect for storing pans. Thick cast iron grill with slanted-angle and oil. Channel for easy cleaning. Equipped with flame failure device, ignitor piezzo, adjustable leveling feet and comes with numerous types.




✱ GC40-C





✱ GC60-C



✱ GC90-C

ITEM	DETAIL
	Type : GC40-C Dimension (WxDxH) : 400 x 750 x 850/1000mm Net Weight : 63 Kg Gas Connection : 1/2 Inch Power : Gas Cooking Surface : Cast Iron Grill Gas Consumption : 7.9 Kw / Hr Country Of Origin : Indonesia

ITEM	DETAIL
	Type : GC60-c Dimension (WxDxH) : 600 x 750 x 850/1000mm Net Weight : 75 Kg Gas Connection : 1/2 Inch Power : Gas Cooking Surface : Cast Iron Grill Gas Consumption : 11.8 Kw / Hr Country Of Origin : Indonesia

	Type : GC90-c Dimension (WxDxH) : 900 x 750 x 850/1000mm Net Weight : 89 Kg Gas Connection : 3/4 Inch Power : Gas Cooking Surface : Cast Iron Grill Gas Consumption : 15.8 Kw / Hr Country Of Origin : Indonesia
---	---







18.

# 2.9

## Gas Deep Fryer 21 L


This Gas Deep Fryer 2 Basket fries popular appetizers and entrees like fries, onion ring, and wigs efficiently. It's stainless steel exterior withstands daily kitchen demands, while conserving space. The fryer's cool zone collects excess batter and crumbs for effortless cleaning. Frying Basket, Tank Cover, Drain Kit included. Fully welded fryer tank and thermal cut-off to prevent overheat.



✱ GDF-2B



ITEM	DETAIL
------	--------



Type : GDF-2B  
Dimension ( W x D x H ) : 400 x  
750 x 850/1200mm  
Net Weight : 51 Kg  
Gas Connection : 1/2 Inch  
Gas Consumption : 30 Kw / Hr  
Oil Capacity : 21 L  
Power : Gas  
Cooking Dimension : 340 x  
500mm  
Temperature Control Range :  
40-180°C  
Country Of Origin : Indonesia

ITEM	DETAIL
------	--------





20.

# 2.10

## Gas Low Oil Fryer 17 L


This stove is perfect for tempura serving Japanese Kitchen. The fryer's cool zone collects excess batter and crumbs for effortless cleaning. Frying Basket, Tank Cover, Drain Kit included and fully welded fryer tank.



✱ GLF-45



ITEM	DETAIL
------	--------



Type : GLF-45  
Dimension ( W x D x H ) : 450 x  
620 x 800/1050mm  
Net Weight : 49.3 Kg  
Gas Connection : 1/2 Inch  
Gas Consumption : 15.2 Kw / Hr  
Oil Capacity : 17 L  
Power : Gas  
Cooking Dimension : 440 x  
370mm  
Temperature Control Range :  
40-180°C

ITEM	DETAIL
------	--------







22.

2.11

## Gas Stock Pot


Making large stock pots of signature soups, stews, sauces, and other delicious creations in your hectic commercial kitchen has never been easier than with this Gas Stock Pot range! The stainless steel front and sides combine with a heavy-duty cast iron top grate to provide outstanding durability. Power with Round Burners, large Cast Iron Pot Holder and adjustable leveling feet.




✧ GSP-50



✧ GSP-70

ITEM	DETAIL
	Type : GSP-50 Dimension (WxDxH) : 500 x 500 x 500mm Net Weight : 20 Kg Gas Connection : 1/2 Inch Gas Consumption : 21 Kw / Hr Power : Gas Country Of Origin : Indonesia

ITEM	DETAIL
	Type : GSP-70 Dimension (WxDxH) : 700 x 750 x 550/1200mm Net Weight : 39 Kg Gas Connection : 1/2 Inch Gas Consumption : 21 Kw / Hr Power : Gas Water Inlet : 1/2 Inch Country Of Origin : Indonesia





24.

2.12

## Gas Kwali Range Series


Introducing our Gas Kwali Range, a versatile addition to any kitchen! With Cantonese wok chambers boasting cast iron rings and it's perfect for cooking stir fry, soup, tempura, or boiling noodles swiftly, ideal for Asian Restaurants and various establishments! Cold water supply with swivel faucets mounted on the backsplash and adjustable leveling feet.




✿ GKR-1B

✿ GKR-2B



ITEM	DETAIL
	Type : GKR-1B Dimension (W x D x H) : 750 x 800 x 800/1200mm Net Weight : 65 Kg Gas Connection : 1/2 Inch Gas Consumption : 36.6 Kw / Hr Water Inlet : 1/2 Inch Power : Gas Outlet & Drain : 1 Inch Country Of Origin : Indonesia

ITEM	DETAIL
	Type : GKR-2B Dimension (W x D x H) : 1500 x 800 x 800/1200mm Net Weight : 116 Kg Gas Connection : 1/2 Inch Gas Consumption : 73.2 Kw / Hr Water Inlet : 1/2 Inch Power : Gas Outlet & Drain : 1 Inch Country Of Origin : Indonesia





26.

2.13

## Gas Kwali Blower Series


This Gas Kwali Blowers/ wok cooker, features an engine burner and soup warmer. This device is very essential range for Asian establishments which must meet the demands of high turnover and quick response times. Designed with a higher back splash and a knee-level position for easy operation inside an oriental kitchen. Wall mounted faucet and wok holder are included. Cold water supply with swivel faucets mounted on the backsplash, concealed blower design and adjustable leveling feet.




✧ GKB-1B



✧ GKB-2B

ITEM	DETAIL
	<p>Type : GKB-1B</p> <p>Dimension ( W x D x H ) : 1100 x 1150 x 800/1200mm</p> <p>Net Weight : 348 Kg</p> <p>Electric Capacity : 400 Watt/ Phase</p> <p>Gas Connection : 3/4 Inch</p> <p>Gas Consumption : 46.8 Kw / Hr</p> <p>Water Inlet : 1/2 Inch Inlet</p> <p>Power : Gas &amp; Electric</p> <p>Outlet &amp; Drain : 1 Inch</p> <p>Country Of Origin : Indonesia</p>

ITEM	DETAIL
	<p>Type : GKB-2B</p> <p>Dimension ( W x D x H ) : 2150 x 1150 x 800/1200mm</p> <p>Net Weight : 517 Kg</p> <p>Electric Capacity : 2 X 400 Watt/ Phase</p> <p>Gas Connection : 3/4 Inch</p> <p>Gas Consumption : 93.6 Kw / Hr</p> <p>Water Inlet : 1/2 Inch x 2 Inlet</p> <p>Power : Gas &amp; Electric</p> <p>Outlet &amp; Drain : 1 Inch</p> <p>Country Of Origin : Indonesia</p>







28.

# 2.14


## Gas Salamander

This Gas Salamander broiler allows you to quickly brown the tops of casseroles, melt cheese, toast sandwiches, or even finish steaks and other meats with ease! The compact design can be wall mounted or range mounted to best fit your establishment's needs. This broiler is easy to clean with a full width, large capacity spillage pan that is removable for convenient cleaning. Powered with Strong Infrared Burners. Equipped with flame failure device, spark ignitor piezzo and adjustable with 4 Level height configurations.



✧ JIN-10

ITEM	DETAIL
------	--------













Type : JIN-10  
Dimension ( W x D x H ) : 700 x  
420 x 450mm  
Net Weight : 42 Kg  
Gas Connection : 1/2 Inch  
Power : Gas  
Gas Consumption : 23.7 Kw / Hr  
Country Of Origin : Indonesia

ITEM	DETAIL
------	--------









## PT MULTI FLASHINDO KARISMA

### □ JAKARTA

Jl. Hayam Wuruk 114 Blok A No.4,  
Maphar. Jakarta - Indonesia 11160  
Phone: +62 21 626 8758  
Whatsapp: +62 811 1210 6803  
Email: sales.dept@mfk.co.id

### □ SURABAYA

Ruko Royal Crown Palace RA 2  
Jl. H. Anwar Hamzah, Kp. Baru, Tambakoso,  
Kec. Waru, Kab. Sidoarjo, Jawa Timur 61256  
Phone : +62 31 3592 9091  
Whatsapp : +62 811 1210 6803  
Email : sales.sby@mfk.co.id

### □ BALI

Jl. Sunset Road No.108b, Kec. Kuta  
Kab. Badung, Bali - Indonesia 80361  
Phone: +62 361 934 2633  
Whatsapp: +62 811 1210 6803  
Email: sales.bali@mfk.co.id

### □ SERVICE CENTER

Jl. Kamal raya No.9 Unit G, RT 01/RW 06  
Tegal Alur. Cengkareng - Indonesia 11820  
Phone: +62 21 5595 2523  
Whatsapp: +62 811 9144 614  
Email: service.center@mfk.co.id